

Odour Assessment

Submitted By: [REDACTED]


Submitted Time: 6 August 2024 10:10

ticket_number	060824 10:04: [REDACTED]
start_	6 August 2024 10:04
end_	6 August 2024 10:10
date	

Inspection Details


Pre-Assessment Check List (to be carried out at first sample point and as required)

<i>Is the Inspector free from medical conditions (cold, sore throat, sinus trouble)?</i>	Yes
<i>Has the Inspector abstained (30 min) from smoking and strongly flavoured food or drink including coffee?</i>	Yes
<i>Confirm the Inspector has not consumed confectionary or soft drinks immediately before the assessment?</i>	Yes
<i>confirm the Inspector has not applied scented toiletries such as perfume/aftershave/ deodorisers immediately before the assessment?</i>	Yes
<i>Confirm the vehicle used during the assessment does not contain any deodorisers or air fresheners?</i>	Yes

Based on the Environment Agency H4 Odour Management Appendix 1 form	
Select Inspection Team	WML
question6	
assignment title	WML 22/59:2:Texaco
Survey Reference	WML 22/59
Sample point	2
Description of location of sampling?	Texaco
Location of test (grid)	

Survey Responses

Test Start	10:04
Test Finish	10:10
Weather conditions?	dry
Temperature?	warm
Temperature if known? (°C)	
Wind Strength?	
Wind speed if known?	
Wind Direction?	
Intensity?	0 No odour

Additional comments and observations	
Signature of Lead Officer	

Weather Forecast

weather_lat	54.106220213218194
weather_lon	-6.26988005538175
Location (as reported by the API)	Warrenpoint
Weather	Clouds
Temperature (°C)	15.66
Pressure (bar)	1,005
Humidity (%)	79
Wind speed (km/h)	5.06
Wind direction (degrees)	208

Odour Assessment

Submitted By: [REDACTED]


Submitted Time: 6 August 2024 10:02

ticket_number	060824 09:57: [REDACTED]
start_	6 August 2024 09:57
end_	6 August 2024 10:02
date	

Inspection Details


Pre-Assessment Check List (to be carried out at first sample point and as required)

<i>Is the Inspector free from medical conditions (cold, sore throat, sinus trouble)?</i>	Yes
<i>Has the Inspector abstained (30 min) from smoking and strongly flavoured food or drink including coffee?</i>	Yes
<i>Confirm the Inspector has not consumed confectionary or soft drinks immediately before the assessment?</i>	Yes
<i>confirm the Inspector has not applied scented toiletries such as perfume/aftershave/ deodorisers immediately before the assessment?</i>	Yes
<i>Confirm the vehicle used during the assessment does not contain any deodorisers or air fresheners?</i>	Yes

Based on the Environment Agency H4 Odour Management Appendix 1 form	
Select Inspection Team	WML
question6	
assignment title	WML 22/59:3:Clermont Bungalows
Survey Reference	WML 22/59
Sample point	3
Description of location of sampling?	Clermont Bungalows
Location of test (grid)	 <p>Esri UK, Esri, HERE, Garmin, INCREMENT P, USGS Powered by Esri</p>

Survey Responses

Test Start	09:57
Test Finish	10:02
Weather conditions?	dry
Temperature?	warm
Temperature if known? (°C)	
Wind Strength?	
Wind speed if known?	
Wind Direction?	South east
Intensity?	0 No odour

Additional comments and observations	
Signature of Lead Officer	

Weather Forecast

weather_lat	54.1038328884676
weather_lon	-6.259617461725791
Location (as reported by the API)	Warrenpoint
Weather	Clouds
Temperature (°C)	15.56
Pressure (bar)	1,005
Humidity (%)	80
Wind speed (km/h)	5.06
Wind direction (degrees)	208

Odour Assessment

Submitted By: [REDACTED]


Submitted Time: 6 August 2024 09:55

ticket_number	060824 09:50: [REDACTED]
start_	6 August 2024 09:50
end_	6 August 2024 09:55
date	

Inspection Details

Pre-Assessment Check List (to be carried out at first sample point and as required)

<i>Is the Inspector free from medical conditions (cold, sore throat, sinus trouble)?</i>	Yes
<i>Has the Inspector abstained (30 min) from smoking and strongly flavoured food or drink including coffee?</i>	Yes
<i>Confirm the Inspector has not consumed confectionary or soft drinks immediately before the assessment?</i>	Yes
<i>confirm the Inspector has not applied scented toiletries such as perfume/aftershave/ deodorisers immediately before the assessment?</i>	Yes
<i>Confirm the vehicle used during the assessment does not contain any deodorisers or air fresheners?</i>	Yes

Based on the Environment Agency H4 Odour Management Appendix 1 form	
Select Inspection Team	WML
question6	
assignment title	WML 22/59:7:Newry Street carpark
Survey Reference	WML 22/59
Sample point	7
Description of location of sampling?	Newry Street carpark
Location of test (grid)	

Survey Responses

Test Start	09:50
Test Finish	09:55
Weather conditions?	dry
Temperature?	mild
Temperature if known? (°C)	
Wind Strength?	
Wind speed if known?	
Wind Direction?	
Intensity?	1 Very faint odour (need to inhale into the wind to smell anything)

persist

<i>Frequency of Detection</i>	Intermittent
<i>Persistence</i>	40
Pervasiveness	
Frequency of Detection Notes	
What does it smell like?	1 Less/ potentially offensive
What does it smell like?	Intermittent odours of Wood and sewage
How does it make you feel?	
Receptor Sensitivity?	1 Low (e.g. footpath, road)
Is the source evident	Yes
Source?	Sewage from Pumping station and unsure of wood source

Additional comments and observations	
Signature of Lead Officer	

Weather Forecast

weather_lat	54.10149527428693
weather_lon	-6.257229719937692
Location (as reported by the API)	Warrenpoint
Weather	Clouds
Temperature (°C)	15.06
Pressure (bar)	1,005
Humidity (%)	81
Wind speed (km/h)	5.06
Wind direction (degrees)	208

Odour Assessment

Submitted By [REDACTED]


Submitted Time: 6 August 2024 09:48

ticket_number	060824 09:42 [REDACTED]
start_	6 August 2024 09:42
end_	6 August 2024 09:48
date	

Inspection Details

Pre-Assessment Check List (to be carried out at first sample point and as required)

<i>Is the Inspector free from medical conditions (cold, sore throat, sinus trouble)?</i>	Yes
<i>Has the Inspector abstained (30 min) from smoking and strongly flavoured food or drink including coffee?</i>	Yes
<i>Confirm the Inspector has not consumed confectionary or soft drinks immediately before the assessment?</i>	Yes
<i>confirm the Inspector has not applied scented toiletries such as perfume/aftershave/ deodorisers immediately before the assessment?</i>	Yes
<i>Confirm the vehicle used during the assessment does not contain any deodorisers or air fresheners?</i>	Yes


Based on the Environment Agency H4 Odour Management Appendix 1 form	
Select Inspection Team	WML
question6	
assignment title	WML 22/59:4:Charlotte Street
Survey Reference	WML 22/59
Sample point	4
Description of location of sampling?	Charlotte Street
Location of test (grid)	 <p>The map displays a street network including Meeting Street, Newry Street, Charlotte Street, Duke Street, and Bridle Lot. A blue location pin is placed on Charlotte Street, and several red dots are scattered along Meeting Street, Newry Street, and Charlotte Street, indicating sampling locations. A road sign for '42' is visible near Duke Street. The map is powered by Esri and includes data from Esri UK, HERE, Garmin, INCREMENT P, and USGS.</p>

Survey Responses

Test Start	09:43
Test Finish	09:48
Weather conditions?	dry
Temperature?	mild
Temperature if known? (°C)	
Wind Strength?	
Wind speed if known?	
Wind Direction?	
Intensity?	1 Very faint odour (need to inhale into the wind to smell anything)

persist

<i>Frequency of Detection</i>	Intermittent
<i>Persistence</i>	50
Pervasiveness	
Frequency of Detection Notes	
What does it smell like?	1 Less/ potentially offensive
What does it smell like?	Wood
How does it make you feel?	
Receptor Sensitivity?	3 High (e.g. housing, pub/hotel etc)
Is the source evident	No
Source?	

Additional comments and observations	
Signature of Lead Officer	

Weather Forecast

weather_lat	54.10199902939442
weather_lon	-6.2560026410225085
Location (as reported by the API)	Warrenpoint
Weather	Clouds
Temperature (°C)	15.06
Pressure (bar)	1,005
Humidity (%)	81
Wind speed (km/h)	5.06
Wind direction (degrees)	208

Odour Assessment

Submitted By: [REDACTED]


Submitted Time: 6 August 2024 09:38

ticket_number	060824 09:34: [REDACTED]
start_	6 August 2024 09:34
end_	6 August 2024 09:38
date	

Inspection Details

Pre-Assessment Check List (to be carried out at first sample point and as required)

<i>Is the Inspector free from medical conditions (cold, sore throat, sinus trouble)?</i>	Yes
<i>Has the Inspector abstained (30 min) from smoking and strongly flavoured food or drink including coffee?</i>	Yes
<i>Confirm the Inspector has not consumed confectionary or soft drinks immediately before the assessment?</i>	Yes
<i>confirm the Inspector has not applied scented toiletries such as perfume/aftershave/ deodorisers immediately before the assessment?</i>	Yes
<i>Confirm the vehicle used during the assessment does not contain any deodorisers or air fresheners?</i>	Yes


Based on the Environment Agency H4 Odour Management Appendix 1 form	
Select Inspection Team	WML
question6	
assignment title	Not Set:Unknown:desription
Survey Reference	Wml 22/59
Sample point	9
Description of location of sampling?	Bridle loanan
Location of test (grid)	 <p>Esri UK, Esri, HERE, Garmin, INCREMENT P, USGS</p> <p>Powered by Esri</p>

Survey Responses

Test Start	09:33
Test Finish	09:38
Weather conditions?	dry
Temperature?	mild
Temperature if known? (°C)	
Wind Strength?	
Wind speed if known?	
Wind Direction?	
Intensity?	1 Very faint odour (need to inhale into the wind to smell anything)

persist

<i>Frequency of Detection</i>	Intermittent
<i>Persistence</i>	15
Pervasiveness	
Frequency of Detection Notes	Very faint odour of rdf when moderate breeze blew
What does it smell like?	2 Moderately offensive
What does it smell like?	RDF
How does it make you feel?	
Receptor Sensitivity?	3 High (e.g. housing, pub/hotel etc)
Is the source evident	Yes
Source?	Regen

Additional comments and observations	
Signature of Lead Officer	

Weather Forecast

weather_lat	54.10605975210092
weather_lon	-6.257458178349393
Location (as reported by the API)	Warrenpoint
Weather	Clouds
Temperature (°C)	14.44
Pressure (bar)	1,005
Humidity (%)	83
Wind speed (km/h)	5.06
Wind direction (degrees)	208

Odour Assessment

Submitted By: [REDACTED]


Submitted Time: 6 August 2024 09:33

ticket_number	060824 09 [REDACTED]
start_	6 August 2024 09:28
end_	6 August 2024 09:33
date	

Inspection Details


Pre-Assessment Check List (to be carried out at first sample point and as required)

<i>Is the Inspector free from medical conditions (cold, sore throat, sinus trouble)?</i>	Yes
<i>Has the Inspector abstained (30 min) from smoking and strongly flavoured food or drink including coffee?</i>	Yes
<i>Confirm the Inspector has not consumed confectionary or soft drinks immediately before the assessment?</i>	Yes
<i>confirm the Inspector has not applied scented toiletries such as perfume/aftershave/ deodorisers immediately before the assessment?</i>	Yes
<i>Confirm the vehicle used during the assessment does not contain any deodorisers or air fresheners?</i>	Yes

Based on the Environment Agency H4 Odour Management Appendix 1 form	
Select Inspection Team	WML
question6	
assignment title	Not Set:Unknown:desription
Survey Reference	Wml 22/59
Sample point	9
Description of location of sampling?	Bridle loanan
Location of test (grid)	 <p>Esri UK, Esri, HERE, Garmin, INCREMENT P, USGS</p> <p>Powered by Esri</p>

Survey Responses

Test Start	09:28
Test Finish	09:33
Weather conditions?	dry
Temperature?	mild
Temperature if known? (°C)	
Wind Strength?	
Wind speed if known?	
Wind Direction?	
Intensity?	0 No odour

Additional comments and observations	
Signature of Lead Officer	

Weather Forecast

weather_lat	54.105968816824095
weather_lon	-6.257339211348572
Location (as reported by the API)	Warrenpoint
Weather	Clear
Temperature (°C)	14.44
Pressure (bar)	1,005
Humidity (%)	84
Wind speed (km/h)	3.86
Wind direction (degrees)	208

Odour Assessment

Submitted By: [REDACTED]


Submitted Time: 6 August 2024 09:23

ticket_number	060824 09:18:25 [REDACTED]
start_	6 August 2024 09:18
end_	6 August 2024 09:23
date	

Inspection Details

Pre-Assessment Check List (to be carried out at first sample point and as required)

<i>Is the Inspector free from medical conditions (cold, sore throat, sinus trouble)?</i>	Yes
<i>Has the Inspector abstained (30 min) from smoking and strongly flavoured food or drink including coffee?</i>	Yes
<i>Confirm the Inspector has not consumed confectionary or soft drinks immediately before the assessment?</i>	Yes
<i>confirm the Inspector has not applied scented toiletries such as perfume/aftershave/ deodorisers immediately before the assessment?</i>	Yes
<i>Confirm the vehicle used during the assessment does not contain any deodorisers or air fresheners?</i>	Yes


Based on the Environment Agency H4 Odour Management Appendix 1 form	
Select Inspection Team	WML
question6	
assignment title	WML 22/59:5:Warrenpoint Square
Survey Reference	WML 22/59
Sample point	5
Description of location of sampling?	Warrenpoint Square
Location of test (grid)	 <p>The map shows the coastal town of Warrenpoint. A blue location pin is placed in the center of Warrenpoint Square. Numerous red dots are scattered along the waterfront and in the square, indicating various sampling points. Labeled streets include Duke Street, Kings Lane, Church Street, Mary Street, and The Square. A body of water is visible to the west of the town. The map is credited to Esri UK, Esri, HERE, Garmin, INCREMENT P, and USGS, and is powered by Esri.</p>

Survey Responses

Test Start	09:18
Test Finish	09:23
Weather conditions?	dry
Temperature?	mild
Temperature if known? (°C)	
Wind Strength?	
Wind speed if known?	
Wind Direction?	
Intensity?	1 Very faint odour (need to inhale into the wind to smell anything)

persist

<i>Frequency of Detection</i>	Intermittent
<i>Persistence</i>	20
Pervasiveness	
Frequency of Detection Notes	
What does it smell like?	2 Moderately offensive
What does it smell like?	Diesel fumes
How does it make you feel?	
Receptor Sensitivity?	3 High (e.g. housing, pub/hotel etc)
Is the source evident	Yes
Source?	Boats in lough

Additional comments and observations	
Signature of Lead Officer	

Weather Forecast

weather_lat	54.10088921105582
weather_lon	-6.254720927470086
Location (as reported by the API)	Warrenpoint
Weather	Clear
Temperature (°C)	13.95
Pressure (bar)	1,005
Humidity (%)	85
Wind speed (km/h)	3.86
Wind direction (degrees)	208

Odour Assessment

Submitted By: [REDACTED]


Submitted Time: 6 August 2024 09:14

ticket_number	060824 09:09:08 [REDACTED]
start_	6 August 2024 09:09
end_	6 August 2024 09:14
date	

Inspection Details

Pre-Assessment Check List (to be carried out at first sample point and as required)

<i>Is the Inspector free from medical conditions (cold, sore throat, sinus trouble)?</i>	Yes
<i>Has the Inspector abstained (30 min) from smoking and strongly flavoured food or drink including coffee?</i>	Yes
<i>Confirm the Inspector has not consumed confectionary or soft drinks immediately before the assessment?</i>	Yes
<i>confirm the Inspector has not applied scented toiletries such as perfume/aftershave/ deodorisers immediately before the assessment?</i>	Yes
<i>Confirm the vehicle used during the assessment does not contain any deodorisers or air fresheners?</i>	Yes


Based on the Environment Agency H4 Odour Management Appendix 1 form	
Select Inspection Team	WML
question6	
assignment title	WML 22/59:6:Havelock Place carpark by waterfront
Survey Reference	WML 22/59
Sample point	6
Description of location of sampling?	Havelock Place carpark by waterfront
Location of test (grid)	 <p>Esri UK, Esri, HERE, Garmin, INCREMENT P, USGS</p> <p>Powered by Esri</p>

Survey Responses

Test Start	09:09
Test Finish	09:14
Weather conditions?	dry
Temperature?	mild
Temperature if known? (°C)	
Wind Strength?	
Wind speed if known?	
Wind Direction?	
Intensity?	1 Very faint odour (need to inhale into the wind to smell anything)

persist

<i>Frequency of Detection</i>	Constant
<i>Persistence</i>	
Pervasiveness	
Frequency of Detection Notes	
What does it smell like?	1 Less/ potentially offensive
What does it smell like?	Sea
How does it make you feel?	
Receptor Sensitivity?	1 Low (e.g. footpath, road)
Is the source evident	Yes
Source?	Carlingford lough

Additional comments and observations	
Signature of Lead Officer	

Weather Forecast

weather_lat	54.09866482341845
weather_lon	-6.254635287480765
Location (as reported by the API)	Warrenpoint
Weather	Clear
Temperature (°C)	13.39
Pressure (bar)	1,005
Humidity (%)	85
Wind speed (km/h)	3.86
Wind direction (degrees)	208

Odour Assessment

Submitted By: [REDACTED]

Submitted Time: 7 November 2024 10:38

ticket_number

071124 10:33:49 [REDACTED]

start_

7 November 2024 10:33

end_

7 November 2024 10:38

date

Inspection Details

Pre-Assessment Check List (to be carried out at first sample point and as required)

Is the Inspector free from medical conditions (cold, sore throat, sinus trouble)?

Yes

Has the Inspector abstained (30 min) from smoking and strongly flavoured food or drink including coffee?

Yes

Confirm the Inspector has not consumed confectionary or soft drinks immediately before the assessment?

Yes

confirm the Inspector has not applied scented toiletries such as perfume/aftershave/ deodorisers immediately before the assessment?

Yes

Confirm the vehicle used during the assessment does not contain any deodorisers or air fresheners?

Yes

Based on the Environment Agency H4 Odour Management Appendix 1 form

Select Inspection Team

WML

question6

assignment_title

WML 22/59:2:Texaco

Survey Reference

WML 22/59

Sample point

2

Description of location of sampling?

Texaco

Location of test (grid)



Survey Responses

Test Start

10:33

Weather conditions?

rain

Weather Forecast

weather_lat

54.106220213218194

weather_lon

-6.26988005538175

Location (as reported by the API)

Warrenpoint

Weather
Clouds

Temperature (°C)
13.43

Pressure (bar)
1,026

Humidity (%)
91

Wind speed (km/h)
6.4

Wind direction (degrees)
141

Intensity?
0 No odour

Signature of Lead Officer

A large black rectangular redaction box covering the signature of the Lead Officer.

Test Finish
10:38

Odour Assessment

Submitted By: [REDACTED]

Submitted Time: 7 November 2024 10:30

ticket_number

071124 10:25:03 [REDACTED]

start_

7 November 2024 10:25

end_

7 November 2024 10:30

date

Inspection Details

Pre-Assessment Check List (to be carried out at first sample point and as required)

Is the Inspector free from medical conditions (cold, sore throat, sinus trouble)?

Yes

Has the Inspector abstained (30 min) from smoking and strongly flavoured food or drink including coffee?

Yes

Confirm the Inspector has not consumed confectionary or soft drinks immediately before the assessment?

Yes

confirm the Inspector has not applied scented toiletries such as perfume/aftershave/ deodorisers immediately before the assessment?

Yes

Confirm the vehicle used during the assessment does not contain any deodorisers or air fresheners?

Yes

Based on the Environment Agency H4 Odour Management Appendix 1 form

Select Inspection Team

WML

question6

assignment_title

WML 22/59:3:Clermont Bungalows

Survey Reference

WML 22/59


Sample point

3

Description of location of sampling?

Clermont Bungalows

Location of test (grid)



Survey Responses

Test Start

10:25

Weather conditions?

rain

Weather Forecast

weather_lat

54.1038328884676

weather_lon

-6.259617461725791

Location (as reported by the API)

Warrenpoint

Weather
Clouds

Temperature (°C)
13.33

Pressure (bar)
1,026

Humidity (%)
91

Wind speed (km/h)
6.46

Wind direction (degrees)
149

Intensity?
3 Distinct odour (there is clearly an odour in the air as you leave your car or enter the area)

persist
Frequency of Detection
Intermittent

Persistence
70

What does it smell like?
2 Moderately offensive

What does it smell like?

Burning smell

Receptor Sensitivity?

3 High (e.g. housing, pub/hotel etc)

Is the source evident

No

Signature of Lead Officer



Test Finish

10:30

Odour Assessment

Submitted By: [REDACTED]

Submitted Time: 7 November 2024 10:20

ticket_number

071124 10:15:45 [REDACTED]

start_

7 November 2024 10:15

end_

7 November 2024 10:20

date

Inspection Details

Pre-Assessment Check List (to be carried out at first sample point and as required)

Is the Inspector free from medical conditions (cold, sore throat, sinus trouble)?

Yes

Has the Inspector abstained (30 min) from smoking and strongly flavoured food or drink including coffee?

Yes

Confirm the Inspector has not consumed confectionary or soft drinks immediately before the assessment?

Yes

confirm the Inspector has not applied scented toiletries such as perfume/aftershave/ deodorisers immediately before the assessment?

Yes

Confirm the vehicle used during the assessment does not contain any deodorisers or air fresheners?

Yes

Based on the Environment Agency H4 Odour Management Appendix 1 form

Select Inspection Team

WML

question6

assignment_title

WML 22/59:7:Newry Street carpark

Survey Reference

WML 22/59


Sample point

7

Description of location of sampling?

Newry Street carpark

Location of test (grid)



Survey Responses

Test Start

10:15

Weather conditions?

rain

Weather Forecast

weather_lat

54.10149527428693

weather_lon

-6.257229719937692

Location (as reported by the API)

Warrenpoint

Weather
Clouds

Temperature (°C)
13.41

Pressure (bar)
1,026

Humidity (%)
90

Wind speed (km/h)
6.46

Wind direction (degrees)
149

Intensity?
0 No odour

Signature of Lead Officer



Test Finish
10:20

Odour Assessment

Submitted By [REDACTED]

Submitted Time: 7 November 2024 10:14

ticket_number

071124 10:08:372 [REDACTED]

start_

7 November 2024 10:08

end_

7 November 2024 10:14

date

Inspection Details

Pre-Assessment Check List (to be carried out at first sample point and as required)

Is the Inspector free from medical conditions (cold, sore throat, sinus trouble)?

Yes

Has the Inspector abstained (30 min) from smoking and strongly flavoured food or drink including coffee?

Yes

Confirm the Inspector has not consumed confectionary or soft drinks immediately before the assessment?

Yes

confirm the Inspector has not applied scented toiletries such as perfume/aftershave/ deodorisers immediately before the assessment?

Yes

Confirm the vehicle used during the assessment does not contain any deodorisers or air fresheners?

Yes

Based on the Environment Agency H4 Odour Management Appendix 1 form

Select Inspection Team

WML

question6

assignment_title

WML 22/59:5:Warrenpoint Square

Survey Reference

WML 22/59


Sample point

5

Description of location of sampling?

Warrenpoint Square

Location of test (grid)



Survey Responses

Test Start

10:09

Weather conditions?

rain

Weather Forecast

weather_lat

54.10088921105582

weather_lon

-6.254720927470086

Location (as reported by the API)

Warrenpoint

Weather
Clouds

Temperature (°C)
13.39

Pressure (bar)
1,026

Humidity (%)
89

Wind speed (km/h)
6.46

Wind direction (degrees)
149

Wind Direction?
South east

Intensity?
2 Faint odour (you can detect an odour when you inhale normally)

persist
Frequency of Detection
Intermittent

Persistence
40

What does it smell like?

1 Less/ potentially offensive

What does it smell like?

Food type odour

Receptor Sensitivity?

3 High (e.g. housing, pub/hotel etc)

Is the source evident

Yes

Source?

Numerous cafes nearby



Test Finish

Odour Assessment

Submitted By: [REDACTED]


Submitted Time: 9 July 2024 10:45

ticket_number	090724 10:40:06 [REDACTED]
start_	9 July 2024 10:40
end_	9 July 2024 10:45
date	

Inspection Details


Pre-Assessment Check List (to be carried out at first sample point and as required)

<i>Is the Inspector free from medical conditions (cold, sore throat, sinus trouble)?</i>	Yes
<i>Has the Inspector abstained (30 min) from smoking and strongly flavoured food or drink including coffee?</i>	Yes
<i>Confirm the Inspector has not consumed confectionary or soft drinks immediately before the assessment?</i>	Yes
<i>confirm the Inspector has not applied scented toiletries such as perfume/aftershave/ deodorisers immediately before the assessment?</i>	Yes
<i>Confirm the vehicle used during the assessment does not contain any deodorisers or air fresheners?</i>	Yes

Based on the Environment Agency H4 Odour Management Appendix 1 form	
Select Inspection Team	WML
question6	
assignment title	WML 22/59:2:Texaco
Survey Reference	WML 22/59
Sample point	2
Description of location of sampling?	Texaco
Location of test (grid)	

Survey Responses

Test Start	10:40
Test Finish	10:45
Weather conditions?	rain
Temperature?	mild
Temperature if known? (°C)	
Wind Strength?	
Wind speed if known?	
Wind Direction?	
Intensity?	0 No odour

Additional comments and observations	
Signature of Lead Officer	

Weather Forecast

weather_lat	54.106220213218194
weather_lon	-6.26988005538175
Location (as reported by the API)	Warrenpoint
Weather	Rain
Temperature (°C)	13.99
Pressure (bar)	1,009
Humidity (%)	89
Wind speed (km/h)	6.19
Wind direction (degrees)	43

Odour Assessment

Submitted By [REDACTED]


Submitted Time: 9 July 2024 10:31

ticket_number	090724 10:24:57 [REDACTED]
start_	9 July 2024 10:24
end_	9 July 2024 10:31
date	

Inspection Details


Pre-Assessment Check List (to be carried out at first sample point and as required)

<i>Is the Inspector free from medical conditions (cold, sore throat, sinus trouble)?</i>	Yes
<i>Has the Inspector abstained (30 min) from smoking and strongly flavoured food or drink including coffee?</i>	Yes
<i>Confirm the Inspector has not consumed confectionary or soft drinks immediately before the assessment?</i>	Yes
<i>confirm the Inspector has not applied scented toiletries such as perfume/aftershave/ deodorisers immediately before the assessment?</i>	Yes
<i>Confirm the vehicle used during the assessment does not contain any deodorisers or air fresheners?</i>	Yes

Based on the Environment Agency H4 Odour Management Appendix 1 form	
Select Inspection Team	WML
question6	
assignment title	Not Set:Unknown:desription
Survey Reference	WML 22/59
Sample point	9
Description of location of sampling?	Bridle Loanan and Ganna Way
Location of test (grid)	 <p>Esri UK, Esri, HERE, Garmin, INCREMENT P, USGS Powered by Esri</p>

Survey Responses

Test Start	10:26
Test Finish	10:31
Weather conditions?	rain
Temperature?	mild
Temperature if known? (°C)	
Wind Strength?	
Wind speed if known?	
Wind Direction?	
Intensity?	0 No odour

Additional comments and observations	
Signature of Lead Officer	

Weather Forecast

weather_lat	54.106107400000006
weather_lon	-6.257416516666666
Location (as reported by the API)	Warrenpoint
Weather	Rain
Temperature (°C)	13.89
Pressure (bar)	1,010
Humidity (%)	89
Wind speed (km/h)	5.96
Wind direction (degrees)	48

Odour Assessment

Submitted By: [REDACTED]


Submitted Time: 9 July 2024 10:19

ticket_number	090724 10:14:3 [REDACTED]
start_	9 July 2024 10:14
end_	9 July 2024 10:18
date	

Inspection Details

Pre-Assessment Check List (to be carried out at first sample point and as required)

<i>Is the Inspector free from medical conditions (cold, sore throat, sinus trouble)?</i>	Yes
<i>Has the Inspector abstained (30 min) from smoking and strongly flavoured food or drink including coffee?</i>	Yes
<i>Confirm the Inspector has not consumed confectionary or soft drinks immediately before the assessment?</i>	Yes
<i>confirm the Inspector has not applied scented toiletries such as perfume/aftershave/ deodorisers immediately before the assessment?</i>	Yes
<i>Confirm the vehicle used during the assessment does not contain any deodorisers or air fresheners?</i>	Yes


Based on the Environment Agency H4 Odour Management Appendix 1 form	
Select Inspection Team	WML
question6	
assignment title	WML 22/59:7:Newry Street carpark
Survey Reference	WML 22/59
Sample point	7
Description of location of sampling?	Newry Street carpark
Location of test (grid)	 <p>The map displays a street network with a blue pin marking the location of Newry Street carpark. The pin is labeled '7'. Numerous red dots are scattered along the street, representing sampling points. The map includes labels for 'A2', 'Meeting', 'Newry Street', and 'Charlotte Street'. The bottom of the map features the text 'Esri UK, Esri, HERE, Garmin, INCREMENT P, USGS' and 'Powered by Esri'.</p>

Survey Responses

Test Start	10:13
Test Finish	10:18
Weather conditions?	rain
Temperature?	mild
Temperature if known? (°C)	
Wind Strength?	0 Calm (Smoke rises vertically) <0.5 ms-1
Wind speed if known?	
Wind Direction?	Calm
Intensity?	1 Very faint odour (need to inhale into the wind to smell anything)

persist

<i>Frequency of Detection</i>	Intermittent
<i>Persistence</i>	40
Pervasiveness	
Frequency of Detection Notes	
What does it smell like?	2 Moderately offensive
What does it smell like?	
How does it make you feel?	
Receptor Sensitivity?	3 High (e.g. housing, pub/hotel etc)
Is the source evident	Yes
Source?	Sewage pumping station

Additional comments and observations	Localised odour from the sewage pumping station
Signature of Lead Officer	

Weather Forecast

weather_lat	54.10149527428693
weather_lon	-6.257229719937692
Location (as reported by the API)	Warrenpoint
Weather	Rain
Temperature (°C)	14.52
Pressure (bar)	1,010
Humidity (%)	87
Wind speed (km/h)	5.96
Wind direction (degrees)	48

Odour Assessment

Submitted [REDACTED]


Submitted Time: 9 July 2024 10:09

ticket_number	090724 10:01:36 [REDACTED]
start_	9 July 2024 10:01
end_	9 July 2024 10:09
date	

Inspection Details


Pre-Assessment Check List (to be carried out at first sample point and as required)

<i>Is the Inspector free from medical conditions (cold, sore throat, sinus trouble)?</i>	Yes
<i>Has the Inspector abstained (30 min) from smoking and strongly flavoured food or drink including coffee?</i>	Yes
<i>Confirm the Inspector has not consumed confectionary or soft drinks immediately before the assessment?</i>	Yes
<i>confirm the Inspector has not applied scented toiletries such as perfume/aftershave/ deodorisers immediately before the assessment?</i>	Yes
<i>Confirm the vehicle used during the assessment does not contain any deodorisers or air fresheners?</i>	Yes

Based on the Environment Agency H4 Odour Management Appendix 1 form	
Select Inspection Team	WML
question6	
assignment title	WML 22/59:4:Charlotte Street
Survey Reference	WML 22/59
Sample point	4
Description of location of sampling?	Charlotte Street
Location of test (grid)	

Survey Responses

Test Start	10:04
Test Finish	10:09
Weather conditions?	rain
Temperature?	mild
Temperature if known? (°C)	
Wind Strength?	
Wind speed if known?	
Wind Direction?	
Intensity?	0 No odour

Additional comments and observations	
Signature of Lead Officer	

Weather Forecast

weather_lat	54.10199902939442
weather_lon	-6.2560026410225085
Location (as reported by the API)	Warrenpoint
Weather	Rain
Temperature (°C)	14.5
Pressure (bar)	1,010
Humidity (%)	85
Wind speed (km/h)	5.96
Wind direction (degrees)	48

Odour Assessment

Submitted By: [REDACTED]


Submitted Time: 9 July 2024 10:00

ticket_number	090724 09:54:25 [REDACTED]
start_	9 July 2024 09:54
end_	9 July 2024 10:00
date	

Inspection Details


Pre-Assessment Check List (to be carried out at first sample point and as required)

<i>Is the Inspector free from medical conditions (cold, sore throat, sinus trouble)?</i>	Yes
<i>Has the Inspector abstained (30 min) from smoking and strongly flavoured food or drink including coffee?</i>	Yes
<i>Confirm the Inspector has not consumed confectionary or soft drinks immediately before the assessment?</i>	Yes
<i>confirm the Inspector has not applied scented toiletries such as perfume/aftershave/ deodorisers immediately before the assessment?</i>	Yes
<i>Confirm the vehicle used during the assessment does not contain any deodorisers or air fresheners?</i>	Yes

Based on the Environment Agency H4 Odour Management Appendix 1 form	
Select Inspection Team	WML
question6	
assignment title	WML 22/59:4:Charlotte Street
Survey Reference	WML 22/59
Sample point	4
Description of location of sampling?	Charlotte Street
Location of test (grid)	

Survey Responses

Test Start	09:55
Test Finish	10:00
Weather conditions?	rain
Temperature?	mild
Temperature if known? (°C)	
Wind Strength?	
Wind speed if known?	
Wind Direction?	
Intensity?	0 No odour

Additional comments and observations	
Signature of Lead Officer	

Weather Forecast

weather_lat	54.10199902939442
weather_lon	-6.2560026410225085
Location (as reported by the API)	Warrenpoint
Weather	Rain
Temperature (°C)	15.06
Pressure (bar)	1,010
Humidity (%)	85
Wind speed (km/h)	5.96
Wind direction (degrees)	48

Odour Assessment

Submitted By: [REDACTED]


Submitted Time: 9 July 2024 09:54

ticket_number	090724 09:47:45 [REDACTED]
start_	9 July 2024 09:47
end_	9 July 2024 09:54
date	

Inspection Details


Pre-Assessment Check List (to be carried out at first sample point and as required)

<i>Is the Inspector free from medical conditions (cold, sore throat, sinus trouble)?</i>	Yes
<i>Has the Inspector abstained (30 min) from smoking and strongly flavoured food or drink including coffee?</i>	Yes
<i>Confirm the Inspector has not consumed confectionary or soft drinks immediately before the assessment?</i>	Yes
<i>confirm the Inspector has not applied scented toiletries such as perfume/aftershave/ deodorisers immediately before the assessment?</i>	Yes
<i>Confirm the vehicle used during the assessment does not contain any deodorisers or air fresheners?</i>	Yes

Based on the Environment Agency H4 Odour Management Appendix 1 form	
Select Inspection Team	WML
question6	
assignment title	WML 22/59:5:Warrenpoint Square
Survey Reference	WML 22/59
Sample point	5
Description of location of sampling?	Warrenpoint Square
Location of test (grid)	

Survey Responses

Test Start	09:49
Test Finish	09:54
Weather conditions?	rain
Temperature?	mild
Temperature if known? (°C)	
Wind Strength?	
Wind speed if known?	
Wind Direction?	
Intensity?	0 No odour

Additional comments and observations	
Signature of Lead Officer	

Weather Forecast

weather_lat	54.10088921105582
weather_lon	-6.254720927470086
Location (as reported by the API)	Warrenpoint
Weather	Rain
Temperature (°C)	14.5
Pressure (bar)	1,010
Humidity (%)	86
Wind speed (km/h)	5.96
Wind direction (degrees)	48

Odour Assessment

Submitted By: [REDACTED]


Submitted Time: 9 July 2024 09:47

ticket_number	090724 09:40:45 [REDACTED]
start_	9 July 2024 09:40
end_	9 July 2024 09:47
date	

Inspection Details


Pre-Assessment Check List (to be carried out at first sample point and as required)

<i>Is the Inspector free from medical conditions (cold, sore throat, sinus trouble)?</i>	Yes
<i>Has the Inspector abstained (30 min) from smoking and strongly flavoured food or drink including coffee?</i>	Yes
<i>Confirm the Inspector has not consumed confectionary or soft drinks immediately before the assessment?</i>	Yes
<i>confirm the Inspector has not applied scented toiletries such as perfume/aftershave/ deodorisers immediately before the assessment?</i>	Yes
<i>Confirm the vehicle used during the assessment does not contain any deodorisers or air fresheners?</i>	Yes

Based on the Environment Agency H4 Odour Management Appendix 1 form	
Select Inspection Team	WML
question6	
assignment title	WML 22/59:6:Havelock Place carpark by waterfront
Survey Reference	WML 22/59
Sample point	6
Description of location of sampling?	Havelock Place carpark by waterfront
Location of test (grid)	 <p>Esri UK, Esri, HERE, Garmin, INCREMENT P, USGS</p> <p>Powered by Esri</p>

Survey Responses

Test Start	09:40
Test Finish	09:46
Weather conditions?	rain
Temperature?	mild
Temperature if known? (°C)	
Wind Strength?	
Wind speed if known?	
Wind Direction?	
Intensity?	0 No odour

Additional comments and observations	Carlingford lough at low tide
Signature of Lead Officer	

Weather Forecast

weather_lat	54.09866482394519
weather_lon	-6.254635297362233
Location (as reported by the API)	Warrenpoint
Weather	Rain
Temperature (°C)	14.5
Pressure (bar)	1,010
Humidity (%)	86
Wind speed (km/h)	5.96
Wind direction (degrees)	48

Odour Assessment Reporting Form (Appendix B):

Site Name: Regen

WML 22/59

Pre-Assessment Preparation

Inspector is free from medical conditions (cold, sore throat, sinus trouble)?	Inspector abstinence (30 min) from smoking and strongly flavoured food or drink including coffee?	Inspector has not consumed confectionary or soft drinks immediately before the assessment?	Inspector has not applied scented toiletries such as perfume/aftershave/deodorisers immediately before the assessment?	Vehicle used during the assessment does not contain any deodorisers or air fresheners?
Yes	Yes	Yes	Yes	Yes

Number of Surveys: 6

Officer name(s): ██████████						Date: 13/06/2024					
Time of test	Location	Weather	Temperature	Wind Strength	Wind Direction	1. Intensity	2. What does it smell like? Offensiveness	3. Receptor sensitivity (see below)	4. Extent & Persistence (see below)	Is the source evident? (Source)	Any other comments or observations
13 June 2024 09:59	2 (Texaco)	rain	11 degrees	6km/h	SE	3 Distinct odour (there is clearly an odour in the air as you leave your car or enter the area)	RDF/	2 Medium (e.g. industrial or commercial workplaces)		Yes, (Regen)	
13 June 2024 09:50	3 (Clermont bungalows)	rain	11 degrees	6km/h	SE	0 No odour				, ()	

13 June 2024 09:44	7 (Newry St carpark)	rain	11 degrees	6km/h	SE	0 No odour				, ()	
13 June 2024 09:34	5 (Warren point square)	rain	11 degrees	6km/h	SE	0 No odour				, ()	
13 June 2024 09:25	6 (Havelock Place carpark by waterfront)	rain	11 degrees	6km/h	SE	1 Very faint odour (need to inhale into the wind to smell anything)	Normal sea smell	1 Low (e.g. footpath, road)		Yes, (Sea)	

Intensity	Offensiveness	Receptor sensitivity where odour detected	Extent & Persistence
0 No odour	1. Less / potentially offensive	1. Low (e.g. footpath, road)	1. Local & transient (only detected on installation or at boundary when wind drops or blows)
1 Very faint odour	2. Moderately offensive	2. Medium (e.g. industrial or commercial workplaces)	2. Transient (as above but away from installation)
2 Faint odour	3. Most / highly offensive	3. High (e.g. housing, pub/hotel etc)	3. Persistent but fairly localised
3 Distinct odour			4. Persistent & pervasive up to 50m from boundary
4 Strong odour			5. Persistent & widespread (50m+ from boundary)
5 Very strong odour			
6 Extremely strong odour			

Note. If Total sum => 10 Assessment classed as unsatisfactory and action required. If <10 assessment classed as satisfactory. Use assessment point with highest score as outcome of assessment.

Assessment outcome:

SATISFACTORY		UNSATISFACTORY	
--------------	--	----------------	--

Was entry onto site required? Yes

Summary Report for Odour Assessment

Selected record count: 7

Object Id	Submitted by	Submitted time
Regen Warrenpoint harbour 1	[REDACTED]	17 May 2024 10:31
WML 22/59 2	[REDACTED]	17 May 2024 10:20
WML 22/59 3	[REDACTED]	17 May 2024 10:11
WML 22/59 7	[REDACTED]	17 May 2024 10:02
WML 22/59 4	[REDACTED]	17 May 2024 09:52
WML 22/59 5	[REDACTED]	17 May 2024 09:44
WML 22/59 6	[REDACTED]	17 May 2024 09:28

Records on a map:



Individual Record Report for Odour Assessment

Submitted By: [REDACTED]

Submitted Time: 17 May 2024 10:31

Weather Forecast

weather_lat	weather_lon	Location (as reported by the API)	
54.10378448642085	-6.26524467036228	Warrenpoint	
Weather	Temperature (°C)	Pressure (bar)	Humidity (%)
Clouds	16.75	1,010	76
Wind speed (km/h)	Wind direction (degrees)		
3.08	28		

Inspection Details

Based on the Environment Agency H4 Odour Management Appendix 1 form

Team WML Test Start 10:24 Test Finish 10:29

Pre-Assessment Check List (to be carried out at first sample point and as required)	
Is the Inspector free from medical conditions (cold, sore throat, sinus trouble)?	Yes
Has the Inspector abstained (30 min) from smoking and strongly flavoured food or drink including coffee?	Yes
Confirm the Inspector has not consumed confectionary or soft drinks immediately before the assessment?	Yes
Confirm the Inspector has not applied scented toiletries such as perfume/aftershave/ deodorisers immediately before the assessment?	Yes
Confirm the vehicle used during the assessment does not contain any deodorisers or air fresheners?	Yes

Survey Reference	Regen Warrenpoint harbour	Sample point	1
Description of location of sampling?	Warrenpoint harbour carpark		

Location of test (grid)



Survey Responses

Observed Weather Conditions

Weather Conditions?	Temperature?	Temperature? (°C)
dry	warm	
Wind Strength?	Wind Speed?	Wind Direction?

Persistence

Intensity of Odour?	Frequency of Detection	Persistence	Pervasiveness
0 No odour			
Frequency of Detection Notes			
What does it smell like (offensiveness)?	What does it smell like (Description)?	How does it make you feel?	Receptor Sensitivity?
Is the source evident	Source?		

Additional Monitoring


Has air monitoring taken place?			
Ammonia (ppmv)	Hydrogen Sulphide (ppmv)	Methane (ppmv)	Methane (%)
Water monitoring required?		Contact WMU with sampling details	
Soil monitoring required?		Record on soil sampling survey	

Additional comments and observations

Signature of Lead Officer _____

Photos and annotation

Photo





ALL DRIVERS
MUST REPORT
TO SECURITY
OFFICE

ALARMS
24 HOUR
CCTV

NO
POWER
MAY
WITHOUT

Annotate Image

Individual Record Report for Odour Assessment

Submitted By: [REDACTED]

Submitted Time: 17 May 2024 10:20

Weather Forecast

weather_lat	weather_lon	Location (as reported by the API)	
54.106220213218194	-6.26988005538175	Warrenpoint	
Weather	Temperature (°C)	Pressure (bar)	Humidity (%)
Clouds	16.77	1,010	78
Wind speed (km/h)	Wind direction (degrees)		
3.08	28		

Inspection Details


Based on the Environment Agency H4 Odour Management Appendix 1 form

Team WML Test Start 10:14 Test Finish 10:20

Pre-Assessment Check List (to be carried out at first sample point and as required)	
Is the Inspector free from medical conditions (cold, sore throat, sinus trouble)?	Yes
Has the Inspector abstained (30 min) from smoking and strongly flavoured food or drink including coffee?	Yes
Confirm the Inspector has not consumed confectionary or soft drinks immediately before the assessment?	Yes
Confirm the Inspector has not applied scented toiletries such as perfume/aftershave/ deodorisers immediately before the assessment?	Yes
Confirm the vehicle used during the assessment does not contain any deodorisers or air fresheners?	Yes

Survey Reference	WML 22/59	Sample point	2
Description of location of sampling?	Texaco		

Location of test (grid)



Survey Responses

Observed Weather Conditions

Weather Conditions?	Temperature?	Temperature? (°C)
dry	mild	
Wind Strength?	Wind Speed?	Wind Direction?

Persistence

Intensity of Odour?	Frequency of Detection	Persistence	Pervasiveness
2 Faint odour (you can detect an odour when you inhale normally)	Constant		
Frequency of Detection Notes			
What does it smell like (offensiveness)?	What does it smell like (Description)?	How does it make you feel?	Receptor Sensitivity?
1 Less/ potentially offensive	Food/chips		2 Medium (e.g. industrial or commercial workplaces)
Is the source evident	Source?		
Yes	Deli from texaco		

Additional Monitoring


Has air monitoring taken place?			
Ammonia (ppmv)	Hydrogen Sulphide (ppmv)	Methane (ppmv)	Methane (%)
Water monitoring required?		Contact WMU with sampling details	
Soil monitoring required?		Record on soil sampling survey	

Additional comments and observations

Signature of Lead Officer (18)

Photos and annotation

Photo





Annotate Image

Individual Record Report for Odour Assessment

Submitted By: [REDACTED]

Submitted Time: 17 May 2024 10:11

Weather Forecast

weather_lat	weather_lon	Location (as reported by the API)	
54.1038328884676	-6.259617470708962	Warrenpoint	
Weather	Temperature (°C)	Pressure (bar)	Humidity (%)
Clouds	16.11	1,010	77
Wind speed (km/h)	Wind direction (degrees)		
3.08	28		

Inspection Details


Based on the Environment Agency H4 Odour Management Appendix 1 form

Team WML Test Start 10:06 Test Finish 10:11

Pre-Assessment Check List (to be carried out at first sample point and as required)	
Is the Inspector free from medical conditions (cold, sore throat, sinus trouble)?	Yes
Has the Inspector abstained (30 min) from smoking and strongly flavoured food or drink including coffee?	Yes
Confirm the Inspector has not consumed confectionary or soft drinks immediately before the assessment?	Yes
Confirm the Inspector has not applied scented toiletries such as perfume/aftershave/ deodorisers immediately before the assessment?	Yes
Confirm the vehicle used during the assessment does not contain any deodorisers or air fresheners?	Yes

Survey Reference	WML 22/59	Sample point	3
Description of location of sampling?	Clermont Bungalows		

Location of test (grid)



Survey Responses

Observed Weather Conditions

Weather Conditions?	Temperature?	Temperature? (°C)
dry	mild	
Wind Strength?	Wind Speed?	Wind Direction?

Persistence

Intensity of Odour?	Frequency of Detection	Persistence	Pervasiveness
1 Very faint odour (need to inhale into the wind to smell anything)	Constant		
Frequency of Detection Notes			
What does it smell like (offensiveness)?	What does it smell like (Description)?	How does it make you feel?	Receptor Sensitivity?
1 Less/ potentially offensive	Freshly cut grass		3 High (e.g. housing, pub/hotel etc)
Is the source evident	Source?		
Yes	Cut grass from golfcourse		

Additional Monitoring


Has air monitoring taken place?			
Ammonia (ppmv)	Hydrogen Sulphide (ppmv)	Methane (ppmv)	Methane (%)
Water monitoring required?		Contact WMU with sampling details	
Soil monitoring required?		Record on soil sampling survey	

Additional comments and observations

Signature of Lead Officer –

Photos and annotation

Photo





Annotate Image

Individual Record Report for Odour Assessment

Submitted By: [REDACTED]

Submitted Time: 17 May 2024 10:02

Weather Forecast

weather_lat	weather_lon	Location (as reported by the API)	
54.10149527428693	-6.257229719937692	Warrenpoint	
Weather	Temperature (°C)	Pressure (bar)	Humidity (%)
Clouds	16.19	1,010	78
Wind speed (km/h)	Wind direction (degrees)		
3.08	28		

Inspection Details


Based on the Environment Agency H4 Odour Management Appendix 1 form

Team WML Test Start 09:56 Test Finish 10:02

Pre-Assessment Check List (to be carried out at first sample point and as required)	
Is the Inspector free from medical conditions (cold, sore throat, sinus trouble)?	Yes
Has the Inspector abstained (30 min) from smoking and strongly flavoured food or drink including coffee?	Yes
Confirm the Inspector has not consumed confectionary or soft drinks immediately before the assessment?	Yes
Confirm the Inspector has not applied scented toiletries such as perfume/aftershave/ deodorisers immediately before the assessment?	Yes
Confirm the vehicle used during the assessment does not contain any deodorisers or air fresheners?	Yes

Survey Reference	WML 22/59	Sample point	7
Description of location of sampling?	Newry Street carpark		

Location of test (grid)



Survey Responses

Observed Weather Conditions

Weather Conditions?	Temperature?	Temperature? (°C)
dry	mild	
Wind Strength?	Wind Speed?	Wind Direction?

Persistence

Intensity of Odour?	Frequency of Detection	Persistence	Pervasiveness
1 Very faint odour (need to inhale into the wind to smell anything)	Intermittent	20	
Frequency of Detection Notes			
What does it smell like (offensiveness)?	What does it smell like (Description)?	How does it make you feel?	Receptor Sensitivity?
2 Moderately offensive	Sewage		2 Medium (e.g. industrial or commercial workplaces)
Is the source evident	Source?		
Yes	Manhole covers from pumping station		

Additional Monitoring

Has air monitoring taken place?			
Ammonia (ppmv)	Hydrogen Sulphide (ppmv)	Methane (ppmv)	Methane (%)
Water monitoring required?		Contact WMU with sampling details	

Soil monitoring required?		Record on soil sampling survey	
--------------------------------------	--	---	--

Additional comments and observations

Signature of Lead Officer –

Photos and annotation

Photo





Annotate Image

Individual Record Report for Odour Assessment

Submitted By: [REDACTED]

Submitted Time: 17 May 2024 09:52

Weather Forecast

weather_lat	weather_lon	Location (as reported by the API)	
54.10199902939442	-6.2560026410225085	Warrenpoint	
Weather	Temperature (°C)	Pressure (bar)	Humidity (%)
Clouds	16.17	1,010	79
Wind speed (km/h)	Wind direction (degrees)		
3.08	28		

Inspection Details


Based on the Environment Agency H4 Odour Management Appendix 1 form

Team WML Test Start 09:47 Test Finish 09:52

Pre-Assessment Check List (to be carried out at first sample point and as required)	
Is the Inspector free from medical conditions (cold, sore throat, sinus trouble)?	Yes
Has the Inspector abstained (30 min) from smoking and strongly flavoured food or drink including coffee?	Yes
Confirm the Inspector has not consumed confectionary or soft drinks immediately before the assessment?	Yes
Confirm the Inspector has not applied scented toiletries such as perfume/aftershave/ deodorisers immediately before the assessment?	Yes
Confirm the vehicle used during the assessment does not contain any deodorisers or air fresheners?	Yes

Survey Reference	WML 22/59	Sample point	4
Description of location of sampling?	Charlotte Street		

Location of test (grid)



Survey Responses

Observed Weather Conditions

Weather Conditions?	Temperature?	Temperature? (°C)
dry	mild	
Wind Strength?	Wind Speed?	Wind Direction?

Persistence

Intensity of Odour?	Frequency of Detection	Persistence	Pervasiveness
0 No odour			
Frequency of Detection Notes			
What does it smell like (offensiveness)?	What does it smell like (Description)?	How does it make you feel?	Receptor Sensitivity?
Is the source evident	Source?		

Additional Monitoring

Has air monitoring taken place?			
Ammonia (ppmv)	Hydrogen Sulphide (ppmv)	Methane (ppmv)	Methane (%)
Water monitoring required?		Contact WMU with sampling details	
Soil monitoring required?		Record on soil sampling survey	

Additional comments and observations

Signature of Lead Officer _____

Photos and annotation

Photo





Annotate Image

Individual Record Report for Odour Assessment

Submitted By [REDACTED]

Submitted Time: 17 May 2024 09:44

Weather Forecast

weather_lat	weather_lon	Location (as reported by the API)	
54.10088921105582	-6.254720927470086	Warrenpoint	
Weather	Temperature (°C)	Pressure (bar)	Humidity (%)
Clouds	15.62	1,010	80
Wind speed (km/h)	Wind direction (degrees)		
3.08	28		

Inspection Details

Based on the Environment Agency H4 Odour Management Appendix 1 form

Team WML Test Start 09:37 Test Finish 09:43

Pre-Assessment Check List (to be carried out at first sample point and as required)	
Is the Inspector free from medical conditions (cold, sore throat, sinus trouble)?	Yes
Has the Inspector abstained (30 min) from smoking and strongly flavoured food or drink including coffee?	Yes
Confirm the Inspector has not consumed confectionary or soft drinks immediately before the assessment?	Yes
Confirm the Inspector has not applied scented toiletries such as perfume/aftershave/ deodorisers immediately before the assessment?	Yes
Confirm the vehicle used during the assessment does not contain any deodorisers or air fresheners?	Yes

Survey Reference	WML 22/59	Sample point	5
Description of location of sampling?	Warrenpoint Square		

Location of test (grid)



Survey Responses

Observed Weather Conditions

Weather Conditions?	Temperature?	Temperature? (°C)
dry	mild	
Wind Strength?	Wind Speed?	Wind Direction?

Persistence

Intensity of Odour?	Frequency of Detection	Persistence	Pervasiveness
1 Very faint odour (need to inhale into the wind to smell anything)	Intermittent	20	
Frequency of Detection Notes			
What does it smell like (offensiveness)?	What does it smell like (Description)?	How does it make you feel?	Receptor Sensitivity?
1 Less/ potentially offensive	Very faint smell of cigarette smoke from person smoking nearby		2 Medium (e.g. industrial or commercial workplaces)
Is the source evident	Source?		
Yes	Person smoking nearby		

Additional Monitoring

Has air monitoring taken place?			
Ammonia (ppmv)	Hydrogen Sulphide (ppmv)	Methane (ppmv)	Methane (%)
Water monitoring required?		Contact WMU with sampling details	

Soil monitoring required?		Record on soil sampling survey	
--------------------------------------	--	---	--

Additional comments and observations

Signature of Lead Officer –

Photos and annotation

Photo





Annotate Image

Individual Record Report for Odour Assessment

Submitted By: [REDACTED]

Submitted Time: 17 May 2024 09:28

Weather Forecast

weather_lat	weather_lon	Location (as reported by the API)	
54.09866482394519	-6.254635297362233	Warrenpoint	
Weather	Temperature (°C)	Pressure (bar)	Humidity (%)
Clouds	15.06	1,010	81
Wind speed (km/h)	Wind direction (degrees)		
2.77	28		

Inspection Details


Based on the Environment Agency H4 Odour Management Appendix 1 form

Team WML Test Start 09:23 Test Finish 09:28

Pre-Assessment Check List (to be carried out at first sample point and as required)	
Is the Inspector free from medical conditions (cold, sore throat, sinus trouble)?	Yes
Has the Inspector abstained (30 min) from smoking and strongly flavoured food or drink including coffee?	Yes
Confirm the Inspector has not consumed confectionary or soft drinks immediately before the assessment?	Yes
Confirm the Inspector has not applied scented toiletries such as perfume/aftershave/ deodorisers immediately before the assessment?	Yes
Confirm the vehicle used during the assessment does not contain any deodorisers or air fresheners?	Yes

Survey Reference	WML 22/59	Sample point	6
Description of location of sampling?	Havelock Place carpark by waterfront		

Location of test (grid)



Survey Responses

Observed Weather Conditions

Weather Conditions?	Temperature?	Temperature? (°C)
dry	warm	
Wind Strength?	Wind Speed?	Wind Direction?

Persistence

Intensity of Odour?	Frequency of Detection	Persistence	Pervasiveness
0 No odour			
Frequency of Detection Notes			
What does it smell like (offensiveness)?	What does it smell like (Description)?	How does it make you feel?	Receptor Sensitivity?
Is the source evident	Source?		

Additional Monitoring

Has air monitoring taken place?			
Ammonia (ppmv)	Hydrogen Sulphide (ppmv)	Methane (ppmv)	Methane (%)
Water monitoring required?		Contact WMU with sampling details	
Soil monitoring required?		Record on soil sampling survey	

Additional comments and observations

Signature of Lead Officer -

Photos and annotation

Photo





image1-20240517-082831.jpg



Annotate Image

Odour Assessment

Submitted By: [REDACTED]


Submitted Time: 17 September 2024 09:53

ticket_number	170924 09:47:59 [REDACTED]
start_	17 September 2024 09:47
end_	17 September 2024 09:53
date	

Inspection Details

Pre-Assessment Check List (to be carried out at first sample point and as required)

<i>Is the Inspector free from medical conditions (cold, sore throat, sinus trouble)?</i>	Yes
<i>Has the Inspector abstained (30 min) from smoking and strongly flavoured food or drink including coffee?</i>	Yes
<i>Confirm the Inspector has not consumed confectionary or soft drinks immediately before the assessment?</i>	Yes
<i>confirm the Inspector has not applied scented toiletries such as perfume/aftershave/ deodorisers immediately before the assessment?</i>	Yes
<i>Confirm the vehicle used during the assessment does not contain any deodorisers or air fresheners?</i>	Yes

Based on the Environment Agency H4 Odour Management Appendix 1 form	
Select Inspection Team	WML
question6	
assignment title	WML 22/59:2:Texaco
Survey Reference	WML 22/59
Sample point	2
Description of location of sampling?	Texaco
Location of test (grid)	

Survey Responses

Test Start	09:48
Test Finish	09:53
Weather conditions?	dry
Temperature?	warm
Temperature if known? (°C)	
Wind Strength?	
Wind speed if known?	
Wind Direction?	
Intensity?	0 No odour

Additional comments and observations	
Signature of Lead Officer	

Weather Forecast

weather_lat	54.106220213218194
weather_lon	-6.26988005538175
Location (as reported by the API)	Warrenpoint
Weather	Clouds
Temperature (°C)	16.77
Pressure (bar)	1,032
Humidity (%)	82
Wind speed (km/h)	1.65
Wind direction (degrees)	137

Odour Assessment

Submitted By: [REDACTED]


Submitted Time: 17 September 2024 09:45

ticket_number	170924 09:39:082 [REDACTED]
start_	17 September 2024 09:39
end_	17 September 2024 09:45
date	

Inspection Details

Pre-Assessment Check List (to be carried out at first sample point and as required)

<i>Is the Inspector free from medical conditions (cold, sore throat, sinus trouble)?</i>	Yes
<i>Has the Inspector abstained (30 min) from smoking and strongly flavoured food or drink including coffee?</i>	Yes
<i>Confirm the Inspector has not consumed confectionary or soft drinks immediately before the assessment?</i>	Yes
<i>confirm the Inspector has not applied scented toiletries such as perfume/aftershave/ deodorisers immediately before the assessment?</i>	Yes
<i>Confirm the vehicle used during the assessment does not contain any deodorisers or air fresheners?</i>	Yes

Based on the Environment Agency H4 Odour Management Appendix 1 form	
Select Inspection Team	WML
question6	
assignment title	WML 22/59:3:Clermont Bungalows
Survey Reference	WML 22/59
Sample point	3
Description of location of sampling?	Clermont Bungalows
Location of test (grid)	

Survey Responses

Test Start	09:39
Test Finish	09:45
Weather conditions?	dry
Temperature?	warm
Temperature if known? (°C)	
Wind Strength?	
Wind speed if known?	
Wind Direction?	North
Intensity?	0 No odour

Additional comments and observations	
Signature of Lead Officer	

Weather Forecast

weather_lat	54.1038328884676
weather_lon	-6.259617461725791
Location (as reported by the API)	Warrenpoint
Weather	Clouds
Temperature (°C)	16.67
Pressure (bar)	1,032
Humidity (%)	84
Wind speed (km/h)	1.65
Wind direction (degrees)	137

Odour Assessment

Submitted By [REDACTED]


Submitted Time: 17 September 2024 09:35

ticket_number	170924 09:28:14 [REDACTED]
start_	17 September 2024 09:28
end_	17 September 2024 09:35
date	

Inspection Details

Pre-Assessment Check List (to be carried out at first sample point and as required)

<i>Is the Inspector free from medical conditions (cold, sore throat, sinus trouble)?</i>	Yes
<i>Has the Inspector abstained (30 min) from smoking and strongly flavoured food or drink including coffee?</i>	Yes
<i>Confirm the Inspector has not consumed confectionary or soft drinks immediately before the assessment?</i>	Yes
<i>confirm the Inspector has not applied scented toiletries such as perfume/aftershave/ deodorisers immediately before the assessment?</i>	Yes
<i>Confirm the vehicle used during the assessment does not contain any deodorisers or air fresheners?</i>	Yes

Based on the Environment Agency H4 Odour Management Appendix 1 form	
Select Inspection Team	WML
question6	
assignment title	WML 22/59:5:Warrenpoint Square
Survey Reference	WML 22/59
Sample point	5
Description of location of sampling?	Warrenpoint Square
Location of test (grid)	 <p>The map displays the coastal area of Warrenpoint, Ireland. A blue location pin is placed in the center of Warrenpoint Square. Numerous red dots are scattered along the waterfront and adjacent streets, indicating the locations of 15 sampling points. The map includes labels for 'Warrenpoint', 'Duke Street', 'The Square', 'Mary Street', 'Church Street', 'Kings Lane', and 'The Square'. At the bottom, it is credited to 'Esri UK, Esri, HERE, Garmin, INCREMENT P, USGS' and 'Powered by Esri'.</p>

Survey Responses

Test Start	09:28
Test Finish	09:34
Weather conditions?	dry
Temperature?	warm
Temperature if known? (°C)	
Wind Strength?	
Wind speed if known?	
Wind Direction?	
Intensity?	1 Very faint odour (need to inhale into the wind to smell anything)

persist

<i>Frequency of Detection</i>	Intermittent
<i>Persistence</i>	20
Pervasiveness	
Frequency of Detection Notes	
What does it smell like?	1 Less/ potentially offensive
What does it smell like?	Mixture of smell of food from nearby cafes and a general sea smell
How does it make you feel?	
Receptor Sensitivity?	3 High (e.g. housing, pub/hotel etc)
Is the source evident	Yes
Source?	Cafes and carlingford lough

Additional comments and observations	
Signature of Lead Officer	

Weather Forecast

weather_lat	54.10088921105582
weather_lon	-6.254720927470086
Location (as reported by the API)	Warrenpoint
Weather	Clouds
Temperature (°C)	16.17
Pressure (bar)	1,032
Humidity (%)	84
Wind speed (km/h)	1.73
Wind direction (degrees)	130

Odour Assessment

Submitted By: [REDACTED]

Submitted Time: 19 November 2024 10:20

ticket_number

191124 10:15:28 [REDACTED]

start_

19 November 2024 10:15

end_

19 November 2024 10:20

date

Inspection Details

Pre-Assessment Check List (to be carried out at first sample point and as required)

Is the Inspector free from medical conditions (cold, sore throat, sinus trouble)?

Yes

Has the Inspector abstained (30 min) from smoking and strongly flavoured food or drink including coffee?

Yes

Confirm the Inspector has not consumed confectionary or soft drinks immediately before the assessment?

Yes

confirm the Inspector has not applied scented toiletries such as perfume/aftershave/ deodorisers immediately before the assessment?

Yes

Confirm the vehicle used during the assessment does not contain any deodorisers or air fresheners?

Yes

Based on the Environment Agency H4 Odour Management Appendix 1 form

Select Inspection Team

WML

question6

assignment_title

WML 22/59:2:Texaco

Survey Reference

WML 22/59

Sample point

2

Description of location of sampling?

Texaco

Location of test (grid)



Survey Responses

Test Start

10:15

Weather conditions?

dry

Temperature?

cold

Weather Forecast

weather_lat

54.106220213218194

weather_lon

-6.26988005538175

Location (as reported by the API)

Warrenpoint

Weather

Clouds

Temperature (°C)

3.99

Pressure (bar)

1,003

Humidity (%)

83

Wind speed (km/h)

4.16

Wind direction (degrees)

28

Intensity?

2 Faint odour (you can detect an odour when you inhale normally)

persist

Frequency of Detection

Intermittent

Persistence

50

What does it smell like?

1 Less/ potentially offensive

What does it smell like?

Mixture of food smell/ burning

Receptor Sensitivity?

2 Medium (e.g. industrial or commercial workplaces)

Is the source evident

No

Signature of Lead Officer



Test Finish

10:20

Odour Assessment

Submitted By: [REDACTED]

Submitted Time: 19 November 2024 10:12

ticket_number

191124 10:07:14 [REDACTED]

start_

19 November 2024 10:07

end_

19 November 2024 10:12

date

Inspection Details

Pre-Assessment Check List (to be carried out at first sample point and as required)

Is the Inspector free from medical conditions (cold, sore throat, sinus trouble)?

Yes

Has the Inspector abstained (30 min) from smoking and strongly flavoured food or drink including coffee?

Yes

Confirm the Inspector has not consumed confectionary or soft drinks immediately before the assessment?

Yes

confirm the Inspector has not applied scented toiletries such as perfume/aftershave/ deodorisers immediately before the assessment?

Yes

Confirm the vehicle used during the assessment does not contain any deodorisers or air fresheners?

Yes

Based on the Environment Agency H4 Odour Management Appendix 1 form

Select Inspection Team

WML

question6

assignment_title

WML 22/59:3:Clermont Bungalows

Survey Reference

WML 22/59


Sample point

3

Description of location of sampling?

Clermont Bungalows

Location of test (grid)



Survey Responses

Test Start

10:07

Weather conditions?

dry

Temperature?

cold

Weather Forecast

weather_lat

54.1038328884676

weather_lon

-6.259617461725791

Location (as reported by the API)

Warrenpoint

Weather

Clouds

Temperature (°C)

3.89

Pressure (bar)

1,003

Humidity (%)

82

Wind speed (km/h)

4.16

Wind direction (degrees)

28

Intensity?

0 No odour

Signature of Lead Officer



Test Finish

10:12

Odour Assessment

Submitted By: [REDACTED]

Submitted Time: 19 November 2024 10:05

ticket_number

191124 10:00: [REDACTED]

start_

19 November 2024 10:00

end_

19 November 2024 10:05

date

Inspection Details

Pre-Assessment Check List (to be carried out at first sample point and as required)

Is the Inspector free from medical conditions (cold, sore throat, sinus trouble)?

Yes

Has the Inspector abstained (30 min) from smoking and strongly flavoured food or drink including coffee?

Yes

Confirm the Inspector has not consumed confectionary or soft drinks immediately before the assessment?

Yes

confirm the Inspector has not applied scented toiletries such as perfume/aftershave/ deodorisers immediately before the assessment?

Yes

Confirm the vehicle used during the assessment does not contain any deodorisers or air fresheners?

Yes

Based on the Environment Agency H4 Odour Management Appendix 1 form

Select Inspection Team

WML

question6

assignment_title

WML 22/59:7:Newry Street carpark

Survey Reference

WML 22/59


Sample point

7

Description of location of sampling?

Newry Street carpark

Location of test (grid)



Survey Responses

Test Start

10:00

Weather conditions?

dry

Temperature?

cold

Weather Forecast

weather_lat

54.10149527428693

weather_lon

-6.257229719937692

Location (as reported by the API)

Warrenpoint

Weather
Clouds

Temperature (°C)
3.97

Pressure (bar)
1,003

Humidity (%)
82

Wind speed (km/h)
4.16

Wind direction (degrees)
28

Intensity?
0 No odour

Signature of Lead Officer



Test Finish

10:05

Odour Assessment

Submitted By: [REDACTED]

Submitted Time: 19 November 2024 09:58

ticket_number

191124 09:52:26 [REDACTED]

start_

19 November 2024 09:52

end_

19 November 2024 09:58

date

Inspection Details

Pre-Assessment Check List (to be carried out at first sample point and as required)

Is the Inspector free from medical conditions (cold, sore throat, sinus trouble)?

Yes

Has the Inspector abstained (30 min) from smoking and strongly flavoured food or drink including coffee?

Yes

Confirm the Inspector has not consumed confectionary or soft drinks immediately before the assessment?

Yes

confirm the Inspector has not applied scented toiletries such as perfume/aftershave/ deodorisers immediately before the assessment?

Yes

Confirm the vehicle used during the assessment does not contain any deodorisers or air fresheners?

Yes

Based on the Environment Agency H4 Odour Management Appendix 1 form

Select Inspection Team

WML

question6

assignment_title

WML 22/59:5:Warrenpoint Square

Survey Reference

WML 22/59


Sample point

5

Description of location of sampling?

Warrenpoint Square

Location of test (grid)



Survey Responses

Test Start

09:52

Weather Forecast

weather_lat

54.10088921105582

weather_lon

-6.254720927470086

Location (as reported by the API)

Warrenpoint

Weather

Clouds

Temperature (°C)

3.39

Pressure (bar)

1,003

Humidity (%)

83

Wind speed (km/h)

4.16

Wind direction (degrees)

28

Intensity?

0 No odour

Signature of Lead Officer



Test Finish

09:58

Odour Assessment

Submitted By: [REDACTED]

Submitted Time: 19 November 2024 09:50

ticket_number

191124 09:45:382 [REDACTED]

start_

19 November 2024 09:45

end_

19 November 2024 09:50

date

Inspection Details

Pre-Assessment Check List (to be carried out at first sample point and as required)

Is the Inspector free from medical conditions (cold, sore throat, sinus trouble)?

Yes

Has the Inspector abstained (30 min) from smoking and strongly flavoured food or drink including coffee?

Yes

Confirm the Inspector has not consumed confectionary or soft drinks immediately before the assessment?

Yes

confirm the Inspector has not applied scented toiletries such as perfume/aftershave/ deodorisers immediately before the assessment?

Yes

Confirm the vehicle used during the assessment does not contain any deodorisers or air fresheners?

Yes

Based on the Environment Agency H4 Odour Management Appendix 1 form

Select Inspection Team

WML

question6

assignment_title

WML 22/59:6:Havelock Place carpark by waterfront

Survey Reference

WML 22/59

Sample point

6

Description of location of sampling?

Havelock Place carpark by waterfront

Location of test (grid)



Survey Responses

Test Start

09:45

Weather conditions?

dry

Temperature?

cold

Weather Forecast

weather_lat

54.09866482341845

weather_lon

-6.254635287480765

Location (as reported by the API)

Warrenpoint

Weather
Clouds

Temperature (°C)
3.39

Pressure (bar)
1,003

Humidity (%)
83

Wind speed (km/h)
4.16

Wind direction (degrees)
28

Intensity?
0 No odour

Signature of Lead Officer



Test Finish
09:50

Odour Assessment

Submitted By: [REDACTED]


Submitted Time: 23 July 2024 10:29

ticket_number	230724 10:24:09 [REDACTED]
start_	23 July 2024 10:24
end_	23 July 2024 10:29
date	

Inspection Details

Pre-Assessment Check List (to be carried out at first sample point and as required)

<i>Is the Inspector free from medical conditions (cold, sore throat, sinus trouble)?</i>	Yes
<i>Has the Inspector abstained (30 min) from smoking and strongly flavoured food or drink including coffee?</i>	Yes
<i>Confirm the Inspector has not consumed confectionary or soft drinks immediately before the assessment?</i>	Yes
<i>confirm the Inspector has not applied scented toiletries such as perfume/aftershave/ deodorisers immediately before the assessment?</i>	Yes
<i>Confirm the vehicle used during the assessment does not contain any deodorisers or air fresheners?</i>	Yes

Based on the Environment Agency H4 Odour Management Appendix 1 form	
Select Inspection Team	WML
question6	
assignment title	WML 22/59:2:Texaco
Survey Reference	WML 22/59
Sample point	2
Description of location of sampling?	Texaco
Location of test (grid)	

Survey Responses

Test Start	10:24
Test Finish	10:29
Weather conditions?	dry
Temperature?	warm
Temperature if known? (°C)	
Wind Strength?	
Wind speed if known?	
Wind Direction?	
Intensity?	0 No odour

Additional comments and observations	
Signature of Lead Officer	

Weather Forecast

weather_lat	54.106220213218194
weather_lon	-6.26988005538175
Location (as reported by the API)	Warrenpoint
Weather	Clouds
Temperature (°C)	16.77
Pressure (bar)	1,020
Humidity (%)	75
Wind speed (km/h)	3.68
Wind direction (degrees)	344

Odour Assessment

Submitted By: [REDACTED]


Submitted Time: 23 July 2024 10:19

ticket_number	230724 10:13:38 [REDACTED]
start_	23 July 2024 10:13
end_	23 July 2024 10:19
date	

Inspection Details


Pre-Assessment Check List (to be carried out at first sample point and as required)

<i>Is the Inspector free from medical conditions (cold, sore throat, sinus trouble)?</i>	Yes
<i>Has the Inspector abstained (30 min) from smoking and strongly flavoured food or drink including coffee?</i>	Yes
<i>Confirm the Inspector has not consumed confectionary or soft drinks immediately before the assessment?</i>	Yes
<i>confirm the Inspector has not applied scented toiletries such as perfume/aftershave/ deodorisers immediately before the assessment?</i>	Yes
<i>Confirm the vehicle used during the assessment does not contain any deodorisers or air fresheners?</i>	Yes

Based on the Environment Agency H4 Odour Management Appendix 1 form	
Select Inspection Team	WML
question6	
assignment title	Not Set:Unknown:desription
Survey Reference	WML 22/59
Sample point	9
Description of location of sampling?	Bridle Lonan at Ganna Way junction
Location of test (grid)	 <p>Esri UK, Esri, HERE, Garmin, INCREMENT P, USGS</p> <p>Powered by Esri</p>

Survey Responses

Test Start	10:14
Test Finish	10:19
Weather conditions?	dry
Temperature?	warm
Temperature if known? (°C)	
Wind Strength?	
Wind speed if known?	
Wind Direction?	
Intensity?	0 No odour

Additional comments and observations	
Signature of Lead Officer	

Weather Forecast

weather_lat	54.106031356143795
weather_lon	-6.257416814402599
Location (as reported by the API)	Warrenpoint
Weather	Clouds
Temperature (°C)	16.67
Pressure (bar)	1,020
Humidity (%)	76
Wind speed (km/h)	3.68
Wind direction (degrees)	344

Odour Assessment

Submitted By: [REDACTED]


Submitted Time: 23 July 2024 10:10

ticket_number	230724 09:58:3 [REDACTED]
start_	23 July 2024 09:58
end_	23 July 2024 10:10
date	

Inspection Details

Pre-Assessment Check List (to be carried out at first sample point and as required)

<i>Is the Inspector free from medical conditions (cold, sore throat, sinus trouble)?</i>	Yes
<i>Has the Inspector abstained (30 min) from smoking and strongly flavoured food or drink including coffee?</i>	Yes
<i>Confirm the Inspector has not consumed confectionary or soft drinks immediately before the assessment?</i>	Yes
<i>confirm the Inspector has not applied scented toiletries such as perfume/aftershave/ deodorisers immediately before the assessment?</i>	Yes
<i>Confirm the vehicle used during the assessment does not contain any deodorisers or air fresheners?</i>	Yes

Based on the Environment Agency H4 Odour Management Appendix 1 form	
Select Inspection Team	WML
question6	
assignment title	WML 22/59:7:Newry Street carpark
Survey Reference	WML 22/59
Sample point	7
Description of location of sampling?	Newry Street carpark
Location of test (grid)	 <p>The map displays a street network with a blue pin labeled '7' at the location of Newry Street carpark. Red dots, representing sampling points, are scattered along Newry Street and Charlotte Street. The map also shows the A2 road and a body of water to the west. Text at the bottom of the map reads 'Esri UK, Esri, HERE, Garmin, INCREMENT P, USGS' and 'Powered by Esri'.</p>

Survey Responses

Test Start	09:58
Test Finish	10:10
Weather conditions?	
Temperature?	
Temperature if known? (°C)	
Wind Strength?	
Wind speed if known?	
Wind Direction?	
Intensity?	1 Very faint odour (need to inhale into the wind to smell anything)

persist

<i>Frequency of Detection</i>	Intermittent
<i>Persistence</i>	60
Pervasiveness	
Frequency of Detection Notes	
What does it smell like?	2 Moderately offensive
What does it smell like?	Gas/ sewage
How does it make you feel?	
Receptor Sensitivity?	2 Medium (e.g. industrial or commercial workplaces)
Is the source evident	Yes
Source?	WWT pumping station

Additional comments and observations	
Signature of Lead Officer	

Weather Forecast

weather_lat	54.10149527428693
weather_lon	-6.257229719937692
Location (as reported by the API)	Warrenpoint
Weather	Clouds
Temperature (°C)	16.19
Pressure (bar)	1,020
Humidity (%)	77
Wind speed (km/h)	3.68
Wind direction (degrees)	344

Odour Assessment

Submitted [REDACTED]


Submitted Time: 23 July 2024 09:54

ticket_number	230724 09:49:18 [REDACTED]
start_	23 July 2024 09:49
end_	23 July 2024 09:54
date	

Inspection Details


Pre-Assessment Check List (to be carried out at first sample point and as required)

<i>Is the Inspector free from medical conditions (cold, sore throat, sinus trouble)?</i>	Yes
<i>Has the Inspector abstained (30 min) from smoking and strongly flavoured food or drink including coffee?</i>	Yes
<i>Confirm the Inspector has not consumed confectionary or soft drinks immediately before the assessment?</i>	Yes
<i>confirm the Inspector has not applied scented toiletries such as perfume/aftershave/ deodorisers immediately before the assessment?</i>	Yes
<i>Confirm the vehicle used during the assessment does not contain any deodorisers or air fresheners?</i>	Yes

Based on the Environment Agency H4 Odour Management Appendix 1 form	
Select Inspection Team	WML
question6	
assignment title	WML 22/59:3:Clermont Bungalows
Survey Reference	WML 22/59
Sample point	3
Description of location of sampling?	Clermont Bungalows
Location of test (grid)	 <p>Esri UK, Esri, HERE, Garmin, INCREMENT P, USGS Powered by Esri</p>

Survey Responses

Test Start	09:49
Test Finish	09:54
Weather conditions?	dry
Temperature?	warm
Temperature if known? (°C)	
Wind Strength?	
Wind speed if known?	
Wind Direction?	
Intensity?	0 No odour

Additional comments and observations	
Signature of Lead Officer	

Weather Forecast

weather_lat	54.1038328884676
weather_lon	-6.259617461725791
Location (as reported by the API)	Warrenpoint
Weather	Clouds
Temperature (°C)	16.17
Pressure (bar)	1,020
Humidity (%)	78
Wind speed (km/h)	3.68
Wind direction (degrees)	344

Odour Assessment

Submitted By [REDACTED]


Submitted Time: 23 July 2024 09:45

ticket_number	230724 09:39:47 [REDACTED]
start_	23 July 2024 09:39
end_	23 July 2024 09:45
date	

Inspection Details

Pre-Assessment Check List (to be carried out at first sample point and as required)

<i>Is the Inspector free from medical conditions (cold, sore throat, sinus trouble)?</i>	Yes
<i>Has the Inspector abstained (30 min) from smoking and strongly flavoured food or drink including coffee?</i>	Yes
<i>Confirm the Inspector has not consumed confectionary or soft drinks immediately before the assessment?</i>	Yes
<i>confirm the Inspector has not applied scented toiletries such as perfume/aftershave/ deodorisers immediately before the assessment?</i>	Yes
<i>Confirm the vehicle used during the assessment does not contain any deodorisers or air fresheners?</i>	Yes

Based on the Environment Agency H4 Odour Management Appendix 1 form	
Select Inspection Team	WML
question6	
assignment title	WML 22/59:4:Charlotte Street
Survey Reference	WML 22/59
Sample point	4
Description of location of sampling?	Charlotte Street
Location of test (grid)	

Survey Responses

Test Start	09:40
Test Finish	09:45
Weather conditions?	dry
Temperature?	mild
Temperature if known? (°C)	
Wind Strength?	
Wind speed if known?	
Wind Direction?	
Intensity?	0 No odour

Additional comments and observations	
Signature of Lead Officer	

Weather Forecast

weather_lat	54.10199902939442
weather_lon	-6.2560026410225085
Location (as reported by the API)	Warrenpoint
Weather	Clouds
Temperature (°C)	16.17
Pressure (bar)	1,020
Humidity (%)	78
Wind speed (km/h)	3.68
Wind direction (degrees)	344

Odour Assessment

Submitted By: [REDACTED]


Submitted Time: 23 July 2024 09:37

ticket_number	230724 09:32:27 [REDACTED]
start_	23 July 2024 09:32
end_	23 July 2024 09:37
date	

Inspection Details

Pre-Assessment Check List (to be carried out at first sample point and as required)

<i>Is the Inspector free from medical conditions (cold, sore throat, sinus trouble)?</i>	Yes
<i>Has the Inspector abstained (30 min) from smoking and strongly flavoured food or drink including coffee?</i>	Yes
<i>Confirm the Inspector has not consumed confectionary or soft drinks immediately before the assessment?</i>	Yes
<i>confirm the Inspector has not applied scented toiletries such as perfume/aftershave/ deodorisers immediately before the assessment?</i>	Yes
<i>Confirm the vehicle used during the assessment does not contain any deodorisers or air fresheners?</i>	Yes

Based on the Environment Agency H4 Odour Management Appendix 1 form	
Select Inspection Team	WML
question6	
assignment title	WML 22/59:5:Warrenpoint Square
Survey Reference	WML 22/59
Sample point	5
Description of location of sampling?	Warrenpoint Square
Location of test (grid)	

Survey Responses

Test Start	09:32
Test Finish	09:37
Weather conditions?	dry
Temperature?	mild
Temperature if known? (°C)	
Wind Strength?	
Wind speed if known?	
Wind Direction?	
Intensity?	0 No odour

Additional comments and observations	
Signature of Lead Officer	

Weather Forecast

weather_lat	54.10088921105582
weather_lon	-6.254720927470086
Location (as reported by the API)	Warrenpoint
Weather	Clouds
Temperature (°C)	15.62
Pressure (bar)	1,020
Humidity (%)	78
Wind speed (km/h)	3.68
Wind direction (degrees)	344

Odour Assessment

Submitted By: [REDACTED]


Submitted Time: 23 July 2024 09:31

ticket_number	230724 09:24:05 [REDACTED]
start_	23 July 2024 09:24
end_	23 July 2024 09:31
date	

Inspection Details

Pre-Assessment Check List (to be carried out at first sample point and as required)

<i>Is the Inspector free from medical conditions (cold, sore throat, sinus trouble)?</i>	Yes
<i>Has the Inspector abstained (30 min) from smoking and strongly flavoured food or drink including coffee?</i>	Yes
<i>Confirm the Inspector has not consumed confectionary or soft drinks immediately before the assessment?</i>	Yes
<i>confirm the Inspector has not applied scented toiletries such as perfume/aftershave/ deodorisers immediately before the assessment?</i>	Yes
<i>Confirm the vehicle used during the assessment does not contain any deodorisers or air fresheners?</i>	Yes

Based on the Environment Agency H4 Odour Management Appendix 1 form	
Select Inspection Team	WML
question6	
assignment title	WML 22/59:6:Havelock Place carpark by waterfront
Survey Reference	WML 22/59
Sample point	6
Description of location of sampling?	Havelock Place carpark by waterfront
Location of test (grid)	 <p>Esri UK, Esri, HERE, Garmin, INCREMENT P, USGS</p> <p>Powered by Esri</p>

Survey Responses

Test Start	09:24
Test Finish	09:30
Weather conditions?	dry
Temperature?	mild
Temperature if known? (°C)	
Wind Strength?	
Wind speed if known?	
Wind Direction?	
Intensity?	1 Very faint odour (need to inhale into the wind to smell anything)

persist

<i>Frequency of Detection</i>	Intermittent
<i>Persistence</i>	40
Pervasiveness	
Frequency of Detection Notes	
What does it smell like?	1 Less/ potentially offensive
What does it smell like?	Mix of sea smell, wood and fruity odouriser
How does it make you feel?	
Receptor Sensitivity?	1 Low (e.g. footpath, road)
Is the source evident	No
Source?	

Additional comments and observations	
Signature of Lead Officer	

Weather Forecast

weather_lat	54.09866482341845
weather_lon	-6.254635287480765
Location (as reported by the API)	Warrenpoint
Weather	Clouds
Temperature (°C)	15.62
Pressure (bar)	1,020
Humidity (%)	79
Wind speed (km/h)	3.95
Wind direction (degrees)	345

Odour Assessment Reporting Form

Waste Licence Nos: WML 22/59

Pre-Assessment Preparation

Inspector is free from medical conditions (cold, sore throat, sinus trouble)?	Inspector abstinence (30 min) from smoking and strongly flavoured food or drink including coffee?	Inspector has not consumed confectionary or soft drinks immediately before the assessment?	Inspector has not applied scented toiletries such as perfume/aftershave/deodorisers immediately before the assessment?	Vehicle used during the assessment does not contain any deodorisers or air fresheners?
<u>Yes</u> / No	<u>Yes</u> / No	<u>Yes</u> / No	<u>Yes</u> / No	<u>Yes</u> / No

Officer name(s): ██████████					Date: 26.6.2024 10.10 – 11.13 hours	
Time of test	10:10-10.15	10.17-10.22	10:25-10.30	10:40-10.45	10:55-11-05	11:08-11.13
Location of test e.g. point number or street name etc	1) – The Square, Warrenpoint (near to toilet block)	2) – Charlotte Street – Meeting Street Junction	3) – Clermount Bungalows (opposite number 9)	4) – Bridle Loanan at junction of Ganna Way	5) – Texaco Shop on A2 road	6) – Warrenpoint Port entrance just off A2
Weather conditions (dry, rain, fog, snow etc):	Dry, sunny, warm	Dry, sunny, warm	Dry, sunny, warm	Dry, sunny, warm	Dry, sunny, warm	Dry, sunny, warm
Temperature (very warm, warm, mild, cold, or degrees if known)	17°C	17°C	17°C	17°C	17°C	17°C
Wind strength (none, light, steady, strong, gusting) Use Beaufort scale if known	Gentle breeze	Gentle breeze	Gentle breeze	Gentle breeze	Gentle breeze	Gentle breeze
Wind direction (e.g. from NE)	From southeast	From southeast	From southeast	From southeast	From southeast	From southeast
1. Intensity (see below)	0	0	0	0	0	0
Duration (of test)	5mins	5 mins	5mins	5mins	5 mins	5 mins
Constant or intermittent in this period or persistence (note range if intermittent)	NA	NA	NA	N/A	N/A	Intermittent approx. 10% of the 5min assessment

2. What does it smell like? Offensiveness	No odour	No odour	No odour	No odour	No odour	1 – smell was more linked to odouriser and like Fairey liquid washing powder.
3.Receptor sensitivity (see below)	3	3	3	3	2	2
4. Extent & Persistence (see below)	NA	NA	NA	NA	NA	NA
Is the source evident?	No odour	No odour	No odour	No odour	No odour	Yes I could associate it with the ReGen facility and the odour suppression system in use
Any other comments or observations						

Intensity	Offensiveness	Receptor sensitivity where odour detected	Extent & Persistence
0 No odour	1. Less / potentially offensive	1. Low (e.g. footpath, road)	1. Local & transient (only detected on installation or at boundary when wind drops or blows)
1 Very faint odour	2. Moderately offensive	2. Medium (e.g. industrial or commercial workplaces)	2. Transient (as above but away from installation)
2 Faint odour	3. Most / highly offensive	3. High (e.g. housing, pub/hotel etc)	3. Persistent but fairly localised
3 Distinct odour			4. Persistent & pervasive up to 50m from boundary
4 Strong odour			5. Persistent & widespread (50m+ from boundary)
5 Very strong odour			
6 Extremely strong odour			

Assessment outcome:

SATISFACTORY	X	UNSATISFACTORY	
---------------------	---	----------------	--

Was entry onto site required? **Yes** / No – yes but this was later on as part of a planned inspection at 2pm.

Odour Assessment

Submitted By: [REDACTED]


Submitted Time: 26 June 2024 13:42

ticket_number	260624 13:34:35 [REDACTED]
start_	26 June 2024 13:34
end_	26 June 2024 13:42
date	

Inspection Details

Pre-Assessment Check List (to be carried out at first sample point and as required)

<i>Is the Inspector free from medical conditions (cold, sore throat, sinus trouble)?</i>	Yes
<i>Has the Inspector abstained (30 min) from smoking and strongly flavoured food or drink including coffee?</i>	Yes
<i>Confirm the Inspector has not consumed confectionary or soft drinks immediately before the assessment?</i>	Yes
<i>confirm the Inspector has not applied scented toiletries such as perfume/aftershave/ deodorisers immediately before the assessment?</i>	Yes
<i>Confirm the vehicle used during the assessment does not contain any deodorisers or air fresheners?</i>	Yes


Based on the Environment Agency H4 Odour Management Appendix 1 form	
Select Inspection Team	WML
question6	
assignment title	Regen Warrenpoint harbour:1:Warrenpoint harbour carpark
Survey Reference	Regen Warrenpoint harbour
Sample point	1
Description of location of sampling?	Warrenpoint harbour carpark
Location of test (grid)	 <p>Esri UK, Esri, HERE, Garmin, INCREMENT P, USGS</p> <p>Powered by Esri</p>

Survey Responses

Test Start	13:34
Test Finish	13:41
Weather conditions?	dry
Temperature?	warm
Temperature if known? (°C)	
Wind Strength?	
Wind speed if known?	
Wind Direction?	
Intensity?	2 Faint odour (you can detect an odour when you inhale normally)

persist

<i>Frequency of Detection</i>	Intermittent
<i>Persistence</i>	60
Pervasiveness	
Frequency of Detection Notes	
What does it smell like?	1 Less/ potentially offensive
What does it smell like?	Rdf from site mixed with odourizer. Odourizer smells like fairy washing up liquid
How does it make you feel?	
Receptor Sensitivity?	2 Medium (e.g. industrial or commercial workplaces)
Is the source evident	Yes
Source?	Regen

Additional comments and observations	
Signature of Lead Officer	

Weather Forecast

weather_lat	54.10378448642085
weather_lon	-6.26524467036228
Location (as reported by the API)	Warrenpoint
Weather	Clouds
Temperature (°C)	16.75
Pressure (bar)	1,010
Humidity (%)	83
Wind speed (km/h)	3.59
Wind direction (degrees)	155

Odour Assessment

Submitted By: [REDACTED]


Submitted Time: 26 June 2024 13:26

ticket_number	260624 13:17:08 [REDACTED]
start_	26 June 2024 13:17
end_	26 June 2024 13:26
date	

Inspection Details

Pre-Assessment Check List (to be carried out at first sample point and as required)

<i>Is the Inspector free from medical conditions (cold, sore throat, sinus trouble)?</i>	Yes
<i>Has the Inspector abstained (30 min) from smoking and strongly flavoured food or drink including coffee?</i>	Yes
<i>Confirm the Inspector has not consumed confectionary or soft drinks immediately before the assessment?</i>	Yes
<i>confirm the Inspector has not applied scented toiletries such as perfume/aftershave/ deodorisers immediately before the assessment?</i>	Yes
<i>Confirm the vehicle used during the assessment does not contain any deodorisers or air fresheners?</i>	Yes


Based on the Environment Agency H4 Odour Management Appendix 1 form	
Select Inspection Team	WML
question6	
assignment title	WML 22/59:2:Texaco
Survey Reference	WML 22/59
Sample point	2
Description of location of sampling?	Texaco
Location of test (grid)	 <p>Esri UK, Esri, HERE, Garmin, INCREMENT P, USGS</p> <p>Powered by Esri</p>

Survey Responses

Test Start	13:17
Test Finish	13:26
Weather conditions?	dry
Temperature?	warm
Temperature if known? (°C)	
Wind Strength?	
Wind speed if known?	
Wind Direction?	
Intensity?	1 Very faint odour (need to inhale into the wind to smell anything)

persist

<i>Frequency of Detection</i>	Intermittent
<i>Persistence</i>	20
Pervasiveness	
Frequency of Detection Notes	
What does it smell like?	1 Less/ potentially offensive
What does it smell like?	
How does it make you feel?	
Receptor Sensitivity?	2 Medium (e.g. industrial or commercial workplaces)
Is the source evident	Yes
Source?	Regen site and odourizer

Additional comments and observations	
Signature of Lead Officer	

Weather Forecast

weather_lat	54.106220213218194
weather_lon	-6.26988005538175
Location (as reported by the API)	Warrenpoint
Weather	Clouds
Temperature (°C)	16.21
Pressure (bar)	1,011
Humidity (%)	82
Wind speed (km/h)	4
Wind direction (degrees)	160

Odour Assessment

Submitted By: [REDACTED]


Submitted Time: 26 June 2024 13:14

ticket_number	260624 13:07:25 [REDACTED]
start_	26 June 2024 13:07
end_	26 June 2024 13:14
date	

Inspection Details


Pre-Assessment Check List (to be carried out at first sample point and as required)

<i>Is the Inspector free from medical conditions (cold, sore throat, sinus trouble)?</i>	Yes
<i>Has the Inspector abstained (30 min) from smoking and strongly flavoured food or drink including coffee?</i>	Yes
<i>Confirm the Inspector has not consumed confectionary or soft drinks immediately before the assessment?</i>	Yes
<i>confirm the Inspector has not applied scented toiletries such as perfume/aftershave/ deodorisers immediately before the assessment?</i>	Yes
<i>Confirm the vehicle used during the assessment does not contain any deodorisers or air fresheners?</i>	Yes

Based on the Environment Agency H4 Odour Management Appendix 1 form	
Select Inspection Team	WML
question6	
assignment title	WML 22/59:7:Newry Street carpark
Survey Reference	WML 22/59
Sample point	7
Description of location of sampling?	Newry Street carpark
Location of test (grid)	 <p>Esri UK, Esri, HERE, Garmin, INCREMENT P, USGS Powered by Esri</p>

Survey Responses

Test Start	13:09
Test Finish	13:14
Weather conditions?	dry
Temperature?	mild
Temperature if known? (°C)	
Wind Strength?	
Wind speed if known?	
Wind Direction?	
Intensity?	0 No odour

Additional comments and observations	
Signature of Lead Officer	

Weather Forecast

weather_lat	54.10149527428693
weather_lon	-6.257229719937692
Location (as reported by the API)	Warrenpoint
Weather	Clouds
Temperature (°C)	16.19
Pressure (bar)	1,011
Humidity (%)	82
Wind speed (km/h)	4
Wind direction (degrees)	160

Odour Assessment

Submitted By [REDACTED]


Submitted Time: 26 June 2024 13:06

ticket_number	260624 13:02:22 [REDACTED]
start_	26 June 2024 13:02
end_	26 June 2024 13:06
date	

Inspection Details


Pre-Assessment Check List (to be carried out at first sample point and as required)

<i>Is the Inspector free from medical conditions (cold, sore throat, sinus trouble)?</i>	Yes
<i>Has the Inspector abstained (30 min) from smoking and strongly flavoured food or drink including coffee?</i>	Yes
<i>Confirm the Inspector has not consumed confectionary or soft drinks immediately before the assessment?</i>	Yes
<i>confirm the Inspector has not applied scented toiletries such as perfume/aftershave/ deodorisers immediately before the assessment?</i>	Yes
<i>Confirm the vehicle used during the assessment does not contain any deodorisers or air fresheners?</i>	Yes

Based on the Environment Agency H4 Odour Management Appendix 1 form	
Select Inspection Team	WML
question6	
assignment title	WML 22/59:3:Clermont Bungalows
Survey Reference	WML 22/59
Sample point	3
Description of location of sampling?	Clermont Bungalows
Location of test (grid)	 <p>Esri UK, Esri, HERE, Garmin, INCREMENT P, USGS Powered by Esri</p>

Survey Responses

Test Start	13:02
Test Finish	13:07
Weather conditions?	dry
Temperature?	warm
Temperature if known? (°C)	
Wind Strength?	
Wind speed if known?	
Wind Direction?	
Intensity?	0 No odour

Additional comments and observations	
Signature of Lead Officer	

Weather Forecast

weather_lat	54.1038328884676
weather_lon	-6.259617470708962
Location (as reported by the API)	Warrenpoint
Weather	Clouds
Temperature (°C)	16.11
Pressure (bar)	1,011
Humidity (%)	82
Wind speed (km/h)	4
Wind direction (degrees)	160

Odour Assessment

Submitted By: [REDACTED]


Submitted Time: 26 June 2024 13:00

ticket_number	260624 12:55:38 [REDACTED]
start_	26 June 2024 12:55
end_	26 June 2024 13:00
date	

Inspection Details


Pre-Assessment Check List (to be carried out at first sample point and as required)

<i>Is the Inspector free from medical conditions (cold, sore throat, sinus trouble)?</i>	Yes
<i>Has the Inspector abstained (30 min) from smoking and strongly flavoured food or drink including coffee?</i>	Yes
<i>Confirm the Inspector has not consumed confectionary or soft drinks immediately before the assessment?</i>	Yes
<i>confirm the Inspector has not applied scented toiletries such as perfume/aftershave/ deodorisers immediately before the assessment?</i>	Yes
<i>Confirm the vehicle used during the assessment does not contain any deodorisers or air fresheners?</i>	Yes

Based on the Environment Agency H4 Odour Management Appendix 1 form	
Select Inspection Team	WML
question6	
assignment title	WML 22/59:4:Charlotte Street
Survey Reference	WML 22/59
Sample point	4
Description of location of sampling?	Charlotte Street
Location of test (grid)	

Survey Responses

Test Start	12:55
Test Finish	13:00
Weather conditions?	dry
Temperature?	mild
Temperature if known? (°C)	
Wind Strength?	
Wind speed if known?	
Wind Direction?	
Intensity?	0 No odour

Additional comments and observations	
Signature of Lead Officer	

Weather Forecast

weather_lat	54.10199902939442
weather_lon	-6.2560026410225085
Location (as reported by the API)	Warrenpoint
Weather	Clouds
Temperature (°C)	16.17
Pressure (bar)	1,011
Humidity (%)	82
Wind speed (km/h)	4
Wind direction (degrees)	160

Odour Assessment

Submitted By: [REDACTED]


Submitted Time: 26 June 2024 12:54

ticket_number	260624 12:48:5 [REDACTED]
start_	26 June 2024 12:48
end_	26 June 2024 12:54
date	

Inspection Details


Pre-Assessment Check List (to be carried out at first sample point and as required)

<i>Is the Inspector free from medical conditions (cold, sore throat, sinus trouble)?</i>	Yes
<i>Has the Inspector abstained (30 min) from smoking and strongly flavoured food or drink including coffee?</i>	Yes
<i>Confirm the Inspector has not consumed confectionary or soft drinks immediately before the assessment?</i>	Yes
<i>confirm the Inspector has not applied scented toiletries such as perfume/aftershave/ deodorisers immediately before the assessment?</i>	Yes
<i>Confirm the vehicle used during the assessment does not contain any deodorisers or air fresheners?</i>	Yes

Based on the Environment Agency H4 Odour Management Appendix 1 form	
Select Inspection Team	WML
question6	
assignment title	WML 22/59:5:Warrenpoint Square
Survey Reference	WML 22/59
Sample point	5
Description of location of sampling?	Warrenpoint Square
Location of test (grid)	 <p>Esri UK, Esri, HERE, Garmin, INCREMENT P, USGS Powered by Esri</p>

Survey Responses

Test Start	12:49
Test Finish	12:54
Weather conditions?	dry
Temperature?	mild
Temperature if known? (°C)	
Wind Strength?	
Wind speed if known?	
Wind Direction?	
Intensity?	0 No odour

Additional comments and observations	
Signature of Lead Officer	

Weather Forecast

weather_lat	54.10088921105582
weather_lon	-6.254720927470086
Location (as reported by the API)	Warrenpoint
Weather	Clouds
Temperature (°C)	16.17
Pressure (bar)	1,011
Humidity (%)	81
Wind speed (km/h)	4
Wind direction (degrees)	160

Odour Assessment

Submitted By: [REDACTED]


Submitted Time: 26 June 2024 12:46

ticket_number	260624 12:41:03 [REDACTED]
start_	26 June 2024 12:41
end_	26 June 2024 12:46
date	

Inspection Details


Pre-Assessment Check List (to be carried out at first sample point and as required)

<i>Is the Inspector free from medical conditions (cold, sore throat, sinus trouble)?</i>	Yes
<i>Has the Inspector abstained (30 min) from smoking and strongly flavoured food or drink including coffee?</i>	Yes
<i>Confirm the Inspector has not consumed confectionary or soft drinks immediately before the assessment?</i>	Yes
<i>confirm the Inspector has not applied scented toiletries such as perfume/aftershave/ deodorisers immediately before the assessment?</i>	Yes
<i>Confirm the vehicle used during the assessment does not contain any deodorisers or air fresheners?</i>	Yes

Based on the Environment Agency H4 Odour Management Appendix 1 form	
Select Inspection Team	WML
question6	
assignment title	WML 22/59:6:Havelock Place carpark by waterfront
Survey Reference	WML 22/59
Sample point	6
Description of location of sampling?	Havelock Place carpark by waterfront
Location of test (grid)	 <p>Esri UK, Esri, HERE, Garmin, INCREMENT P, USGS</p> <p>Powered by Esri</p>

Survey Responses

Test Start	12:40
Test Finish	12:46
Weather conditions?	dry
Temperature?	mild
Temperature if known? (°C)	
Wind Strength?	
Wind speed if known?	
Wind Direction?	
Intensity?	0 No odour

Additional comments and observations	
Signature of Lead Officer	

Weather Forecast

weather_lat	54.09866482394519
weather_lon	-6.254635297362233
Location (as reported by the API)	Warrenpoint
Weather	Clouds
Temperature (°C)	16.17
Pressure (bar)	1,011
Humidity (%)	82
Wind speed (km/h)	4
Wind direction (degrees)	160

Odour Assessment

Submitted By: [REDACTED]


Submitted Time: 28 August 2024 09:55

ticket_number	280824 09:50:36 [REDACTED]
start_	28 August 2024 09:50
end_	28 August 2024 09:55
date	

Inspection Details

Pre-Assessment Check List (to be carried out at first sample point and as required)

<i>Is the Inspector free from medical conditions (cold, sore throat, sinus trouble)?</i>	Yes
<i>Has the Inspector abstained (30 min) from smoking and strongly flavoured food or drink including coffee?</i>	Yes
<i>Confirm the Inspector has not consumed confectionary or soft drinks immediately before the assessment?</i>	Yes
<i>confirm the Inspector has not applied scented toiletries such as perfume/aftershave/ deodorisers immediately before the assessment?</i>	Yes
<i>Confirm the vehicle used during the assessment does not contain any deodorisers or air fresheners?</i>	Yes

Based on the Environment Agency H4 Odour Management Appendix 1 form	
Select Inspection Team	WML
question6	
assignment title	WML 22/59:2:Texaco
Survey Reference	WML 22/59
Sample point	2
Description of location of sampling?	Texaco
Location of test (grid)	 <p>Esri UK, Esri, HERE, Garmin, INCREMENT P, USGS</p> <p>Powered by Esri</p>

Survey Responses

Test Start	09:50
Test Finish	09:55
Weather conditions?	dry
Temperature?	warm
Temperature if known? (°C)	
Wind Strength?	
Wind speed if known?	
Wind Direction?	
Intensity?	1 Very faint odour (need to inhale into the wind to smell anything)

persist

<i>Frequency of Detection</i>	Intermittent
<i>Persistence</i>	10
Pervasiveness	
Frequency of Detection Notes	
What does it smell like?	1 Less/ potentially offensive
What does it smell like?	Food
How does it make you feel?	
Receptor Sensitivity?	2 Medium (e.g. industrial or commercial workplaces)
Is the source evident	Yes
Source?	Food counter from shop

Additional comments and observations	
Signature of Lead Officer	

Weather Forecast

weather_lat	54.106220213218194
weather_lon	-6.26988005538175
Location (as reported by the API)	Warrenpoint
Weather	Clouds
Temperature (°C)	17.32
Pressure (bar)	1,009
Humidity (%)	82
Wind speed (km/h)	3.99
Wind direction (degrees)	183

Odour Assessment

Submitted By: [REDACTED]


Submitted Time: 28 August 2024 09:45

ticket_number	280824 09:39:37 [REDACTED]
start_	28 August 2024 09:39
end_	28 August 2024 09:45
date	

Inspection Details

Pre-Assessment Check List (to be carried out at first sample point and as required)

<i>Is the Inspector free from medical conditions (cold, sore throat, sinus trouble)?</i>	Yes
<i>Has the Inspector abstained (30 min) from smoking and strongly flavoured food or drink including coffee?</i>	Yes
<i>Confirm the Inspector has not consumed confectionary or soft drinks immediately before the assessment?</i>	Yes
<i>confirm the Inspector has not applied scented toiletries such as perfume/aftershave/ deodorisers immediately before the assessment?</i>	Yes
<i>Confirm the vehicle used during the assessment does not contain any deodorisers or air fresheners?</i>	Yes

Based on the Environment Agency H4 Odour Management Appendix 1 form	
Select Inspection Team	WML
question6	
assignment title	Not Set:Unknown:desription
Survey Reference	Wml 22/59
Sample point	9
Description of location of sampling?	Bridle loanan
Location of test (grid)	 <p>Esri UK, Esri, HERE, Garmin, INCREMENT P, USGS Powered by Esri</p>

Survey Responses

Test Start	09:40
Test Finish	09:45
Weather conditions?	dry
Temperature?	warm
Temperature if known? (°C)	
Wind Strength?	
Wind speed if known?	
Wind Direction?	
Intensity?	0 No odour

Additional comments and observations	
Signature of Lead Officer	

Weather Forecast

weather_lat	54.10604069221006
weather_lon	-6.25744316998768
Location (as reported by the API)	Warrenpoint
Weather	Clouds
Temperature (°C)	17.22
Pressure (bar)	1,009
Humidity (%)	82
Wind speed (km/h)	3.99
Wind direction (degrees)	183

Odour Assessment

Submitted By [REDACTED]


Submitted Time: 28 August 2024 09:35

ticket_number	280824 09:28:40 [REDACTED]
start_	28 August 2024 09:28
end_	28 August 2024 09:34
date	

Inspection Details

Pre-Assessment Check List (to be carried out at first sample point and as required)

<i>Is the Inspector free from medical conditions (cold, sore throat, sinus trouble)?</i>	Yes
<i>Has the Inspector abstained (30 min) from smoking and strongly flavoured food or drink including coffee?</i>	Yes
<i>Confirm the Inspector has not consumed confectionary or soft drinks immediately before the assessment?</i>	Yes
<i>confirm the Inspector has not applied scented toiletries such as perfume/aftershave/ deodorisers immediately before the assessment?</i>	Yes
<i>Confirm the vehicle used during the assessment does not contain any deodorisers or air fresheners?</i>	Yes

Based on the Environment Agency H4 Odour Management Appendix 1 form	
Select Inspection Team	WML
question6	
assignment title	WML 22/59:7:Newry Street carpark
Survey Reference	WML 22/59
Sample point	7
Description of location of sampling?	Newry Street carpark
Location of test (grid)	 <p>Esri UK, Esri, HERE, Garmin, INCREMENT P, USGS</p> <p>Powered by Esri</p>

Survey Responses

Test Start	09:29
Test Finish	09:34
Weather conditions?	dry
Temperature?	warm
Temperature if known? (°C)	
Wind Strength?	
Wind speed if known?	
Wind Direction?	
Intensity?	2 Faint odour (you can detect an odour when you inhale normally)

persist

<i>Frequency of Detection</i>	Intermittent
<i>Persistence</i>	10
Pervasiveness	
Frequency of Detection Notes	
What does it smell like?	2 Moderately offensive
What does it smell like?	Sewage
How does it make you feel?	
Receptor Sensitivity?	3 High (e.g. housing, pub/hotel etc)
Is the source evident	Yes
Source?	Pumping station

Additional comments and observations	
Signature of Lead Officer	

Weather Forecast

weather_lat	54.10149527428693
weather_lon	-6.257229719937692
Location (as reported by the API)	Warrenpoint
Weather	Clouds
Temperature (°C)	14.15
Pressure (bar)	1,009
Humidity (%)	91
Wind speed (km/h)	2.57
Wind direction (degrees)	178

Odour Assessment

Submitted By: 23 [REDACTED]


Submitted Time: 28 August 2024 09:24

ticket_number	280824 09:19:03 [REDACTED]
start_	28 August 2024 09:19
end_	28 August 2024 09:24
date	

Inspection Details

Pre-Assessment Check List (to be carried out at first sample point and as required)

<i>Is the Inspector free from medical conditions (cold, sore throat, sinus trouble)?</i>	Yes
<i>Has the Inspector abstained (30 min) from smoking and strongly flavoured food or drink including coffee?</i>	Yes
<i>Confirm the Inspector has not consumed confectionary or soft drinks immediately before the assessment?</i>	Yes
<i>confirm the Inspector has not applied scented toiletries such as perfume/aftershave/ deodorisers immediately before the assessment?</i>	Yes
<i>Confirm the vehicle used during the assessment does not contain any deodorisers or air fresheners?</i>	Yes

Based on the Environment Agency H4 Odour Management Appendix 1 form	
Select Inspection Team	WML
question6	
assignment title	WML 22/59:3:Clermont Bungalows
Survey Reference	WML 22/59
Sample point	3
Description of location of sampling?	Clermont Bungalows
Location of test (grid)	 <p>Esri UK, Esri, HERE, Garmin, INCREMENT P, USGS Powered by Esri</p>

Survey Responses

Test Start	09:19
Test Finish	09:24
Weather conditions?	dry
Temperature?	warm
Temperature if known? (°C)	
Wind Strength?	
Wind speed if known?	
Wind Direction?	
Intensity?	0 No odour

Additional comments and observations	
Signature of Lead Officer	

Weather Forecast

weather_lat	54.1038328884676
weather_lon	-6.259617461725791
Location (as reported by the API)	Warrenpoint
Weather	Clouds
Temperature (°C)	14.15
Pressure (bar)	1,009
Humidity (%)	91
Wind speed (km/h)	2.57
Wind direction (degrees)	178

Odour Assessment

Submitted By: [REDACTED]


Submitted Time: 28 August 2024 09:14

ticket_number	280824 09:09:02 [REDACTED]
start_	28 August 2024 09:09
end_	28 August 2024 09:14
date	

Inspection Details


Pre-Assessment Check List (to be carried out at first sample point and as required)

<i>Is the Inspector free from medical conditions (cold, sore throat, sinus trouble)?</i>	Yes
<i>Has the Inspector abstained (30 min) from smoking and strongly flavoured food or drink including coffee?</i>	Yes
<i>Confirm the Inspector has not consumed confectionary or soft drinks immediately before the assessment?</i>	Yes
<i>confirm the Inspector has not applied scented toiletries such as perfume/aftershave/ deodorisers immediately before the assessment?</i>	Yes
<i>Confirm the vehicle used during the assessment does not contain any deodorisers or air fresheners?</i>	Yes

Based on the Environment Agency H4 Odour Management Appendix 1 form	
Select Inspection Team	WML
question6	
assignment title	WML 22/59:4:Charlotte Street
Survey Reference	WML 22/59
Sample point	4
Description of location of sampling?	Charlotte Street
Location of test (grid)	

Survey Responses

Test Start	09:09
Test Finish	09:14
Weather conditions?	dry
Temperature?	warm
Temperature if known? (°C)	
Wind Strength?	
Wind speed if known?	0
Wind Direction?	
Intensity?	0 No odour

Additional comments and observations	
Signature of Lead Officer	

Weather Forecast

weather_lat	54.10199902939442
weather_lon	-6.2560026410225085
Location (as reported by the API)	Warrenpoint
Weather	Clouds
Temperature (°C)	16.73
Pressure (bar)	1,009
Humidity (%)	83
Wind speed (km/h)	2.57
Wind direction (degrees)	178

Odour Assessment

Submitted By: [REDACTED]


Submitted Time: 28 August 2024 09:06

ticket_number	280824 09:01:2 [REDACTED]
start_	28 August 2024 09:01
end_	28 August 2024 09:06
date	

Inspection Details


Pre-Assessment Check List (to be carried out at first sample point and as required)

<i>Is the Inspector free from medical conditions (cold, sore throat, sinus trouble)?</i>	Yes
<i>Has the Inspector abstained (30 min) from smoking and strongly flavoured food or drink including coffee?</i>	Yes
<i>Confirm the Inspector has not consumed confectionary or soft drinks immediately before the assessment?</i>	Yes
<i>confirm the Inspector has not applied scented toiletries such as perfume/aftershave/ deodorisers immediately before the assessment?</i>	Yes
<i>Confirm the vehicle used during the assessment does not contain any deodorisers or air fresheners?</i>	Yes

Based on the Environment Agency H4 Odour Management Appendix 1 form	
Select Inspection Team	WML
question6	
assignment title	WML 22/59:5:Warrenpoint Square
Survey Reference	WML 22/59
Sample point	5
Description of location of sampling?	Warrenpoint Square
Location of test (grid)	 <p>Esri UK, Esri, HERE, Garmin, INCREMENT P, USGS Powered by Esri</p>

Survey Responses

Test Start	09:01
Test Finish	09:06
Weather conditions?	
Temperature?	
Temperature if known? (°C)	
Wind Strength?	
Wind speed if known?	
Wind Direction?	
Intensity?	0 No odour

Additional comments and observations	
Signature of Lead Officer	

Weather Forecast

weather_lat	54.10088921105582
weather_lon	-6.254720927470086
Location (as reported by the API)	Warrenpoint
Weather	Clouds
Temperature (°C)	16.73
Pressure (bar)	1,009
Humidity (%)	84
Wind speed (km/h)	2.57
Wind direction (degrees)	178

Photos and annotation

Photo

Annotate Image

Odour Assessment

Submitted By [REDACTED]

Submitted Time: 28 August 2024 08:55

ticket_number	280824 08:50:51 [REDACTED]
start_	28 August 2024 08:50
end_	28 August 2024 08:55
date	

Inspection Details

Pre-Assessment Check List (to be carried out at first sample point and as required)

<i>Is the Inspector free from medical conditions (cold, sore throat, sinus trouble)?</i>	Yes
<i>Has the Inspector abstained (30 min) from smoking and strongly flavoured food or drink including coffee?</i>	Yes
<i>Confirm the Inspector has not consumed confectionary or soft drinks immediately before the assessment?</i>	Yes
<i>confirm the Inspector has not applied scented toiletries such as perfume/aftershave/ deodorisers immediately before the assessment?</i>	Yes
<i>Confirm the vehicle used during the assessment does not contain any deodorisers or air fresheners?</i>	Yes