

Water Assessment, Data & Evidence  
NIEA Water Management Unit




Department of  
**Agriculture, Environment  
and Rural Affairs**

[www.daera-ni.gov.uk](http://www.daera-ni.gov.uk)

Your reference:

Our reference: EIR ref no. DAERA 2019-0260



NIEA Water Management Unit  
17 Antrim Road  
Tonagh  
LISBURN  
BT28 3AL  
Tel:



29 August 2019

Dear 

### **Environmental Information Regulations 2004**

Thank you for your request for information received by the Department on 6 August 2019 where you requested the following information:

- *The budget of the NIEA, each year, from 2009/10 to 2018/19*
- *The names/locations of the 76% of lochs and 69% of rivers which failed to meet good quality status, with regards to pollution, last year and the names/locations of the 24% of lochs and 31% of rivers which did meet these standards.*

I can advise that the Department has completed its search and can confirm that it holds some of the information you requested which is attached in the excel files 'NIEA Budgets (2012-13 – 2018-19)' and 'River and Lake Status data 2018' (two tabs – One for Rivers and one for Lakes).

If you require any clarification, believe that any part of your request has been overlooked, misunderstood or misinterpreted, please contact me in the first instance to see if it is a matter that can be resolved.

If you are unhappy with the manner in which your request for information has been handled or the decision to release/withhold information, you have the right to request a formal review by the Department. If you wish to do so, please write to The Review Section, The Department of Agriculture, Environment and Rural Affairs, Information

*A living, working, active landscape valued by everyone.*


If you are deaf or have a hearing difficulty you can contact the Department via the Next Generation Text Relay Service by dialling 18001 + telephone number.



Management Branch, Room 507, Dundonald House, Upper Newtownards Road, Ballymiscaw, BELFAST, BT4 3SB, within two months from the date of this letter.

If after such an internal review you are still unhappy with the response, you have the right to appeal to the Information Commissioner at Wycliffe House, Water Lane, Wilmslow, CHESHIRE SK9 5AF, who will undertake an independent review of the Department's decision.

Yours sincerely,



**Water Assessment Data and Evidence Group  
Water Management Unit**

*A living, working, active landscape valued by everyone.*

If you are deaf or have a hearing difficulty you can contact the Department via the Next Generation Text Relay Service by dialling 18001 + telephone number.

